

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 160 PWD: 139
Name: **Monongahela Power Co., Pleasants Power Station Coal Unloading Dock**
Location: Mile 160.4, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.369444
Total Berthing Space (feet): 4500 | | Longitude (decimal): -81.29722
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 35 loaded barges above and 30 empty barges below. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42820 Dock Code: 602 Pittsburgh District

Port: **Huntington**
Waterway: **Ohio River** Mile: 161 PWD: 137
Name: **American Cyanamid Co., Willow Island Dock.**
Location: Mile 161.1, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Not operated.
Owner: American Cyanamid Co.
Address: Phone: 304/665-2422
Town: Willow Island State: WV County: Pleasants
Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.362778
Total Berthing Space (feet): | | Longitude (decimal): -81.30972
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption. One 8-inch pipeline extending from wharf to one 19,000-barrel fuel oil storage tank was not in use at time of survey. One steel sheet pile, cellular breasting dolphin, located 1,300 feet below wharf, is used for mooring barges.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42820 Dock Code: 202 Pittsburgh District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 161 PWD: 138
Name: **Monongahela Power Co., Pleasants Power Station Lime Unloading Dock**
Location: Mile 160.9, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of lime.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.365833
Total Berthing Space (feet): 1300 | | Longitude (decimal): -81.305
Remarks: Three concrete silos located at rear have total capacity for 18,000 tons of lime. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42820 Dock Code: 602 Pittsburgh District

Port: **Huntington**
Waterway: **Ohio River** Mile: 298 PWD: 20
Name: **Adams Trucking & Supply Dock.**
Location: Mile 298.1, left bank, Ohio River, 1.3 miles below Lesage. Datum: NPE
Operator: Adams Trucking & Supply, Inc.
Owner: Adams Trucking & Supply, Inc.
Address: 300 Water Street Phone: 304/736-7788
Town: Lesage State: WV County: Cabell
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.488333
Total Berthing Space (feet): 325 | | Longitude (decimal): -82.30333
Remarks: Approximately 6 acres of open storage area with capacity for 20,000 tons of material are located in rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42683 Dock Code: 102 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 300 PWD: 19
Name: **Barboursville Block Co. Dock.**
Location: Mile 299.9, left bank, Ohio River, 3.0 miles below Lesage. Datum: NPE
Operator: Barboursville Block Co.
Owner: Barboursville Block Co.
Address: Phone: 304/736-1248
Town: Lesage State: WV County: Cabell
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.465
Total Berthing Space (feet): 525 | | Longitude (decimal): -82.31056
Remarks: Open storage area at rear has capacity for 40,000 tons of material.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42683 Dock Code: 012 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 304 PWD: 18
Name: **Chevron U.S.A., Huntington Terminal Dock.**
Location: Mile 303.6, right bank, Ohio River, 4.8 miles above Huntington. Datum: NPE
Operator: Not operated.
Owner: Chevron U.S.A., Inc.
Address: Phone: 800/284-3938
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.434444
Total Berthing Space (feet): | | Longitude (decimal): -82.36139
Remarks: Four 10-, one 8-, and one 6-inch pipelines extending from wharf to 7 steel storage tanks at rear, total capacity 80,000 barrels were not in use at time of survey. Terminal was for sale at time of survey.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code: 479 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 315 PWD: 6
Name: **Union Concrete Pipe Co., Lower Dock.**
Location: Mile 314.8, left bank, Ohio River, Ceredo. Datum: NPE
Operator: Economy Barge Repair, Inc.
Owner: Union Concrete Pipe Co.
Address: Main Street & Riverfront Phone: 304/453-1391
Town: Ceredo State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for cleaning.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.4
Total Berthing Space (feet): 780 | | Longitude (decimal): -82.55972
Remarks: Fleeting area has capacity for mooring 16 barges.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code: 086 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 315 PWD: 7
Name: **Union Concrete Pipe Co., Upper Dock.**
Location: Mile 314.8, left bank, Ohio River, Ceredo. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Union Concrete Pipe Co.
Address: Main Street and Riverfront Phone: 304/453-6331
Town: Ceredo State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.4
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.55889
Remarks: One 10-inch pipeline extends from wharf to one 800-ton storage silo at rear.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code: 085 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 316 PWD: 5
Name: **Ashland Petroleum Co., Kenova Fleet Mooring.**
Location: Mile 315.7, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.403889
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.575
Remarks: Cells are in line with Ref. No. 4, providing a total of 1,200 feet of continuous berthing space.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code: 026 Huntington District

Port: **Huntington**
Waterway: **Elk River** Mile: 1 PWD: 82
Name: **Dravo Basic Materials Co., Elk River Dock.**
Location: Mile 0.9, right bank, Elk River, Charleston. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 1100 Pennsylvania Avenue Phone: 304/343-4571
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.358056
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.63139
Remarks: Open storage area at rear has capacity for approximately 75,000 tons of material.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42357 Dock Code: 812 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Elk River** Mile: 1 PWD: 79
Name: **Pfaff & Smith Builders Supply Co. Dock.**
Location: Mile 1.1, left bank, Elk River, Charleston. Datum: NPE
Operator: Pfaff & Smith Builders Supply Co.
Owner: Pfaff & Smith Builders Supply Co.
Address: Spring & Bullitt Streets Phone: 304/342-4171
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.358056
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.62694
Remarks: Ready-mix concrete plant and open storage area with capacity for 30,000 tons of material are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42357 Dock Code: 833 Huntington District

Port: **Huntington**
Waterway: **Elk River** Mile: 2 PWD: 81
Name: **Shamblin Stone, Charleston Dock.**
Location: Mile 2.4, right bank, Elk River, Charleston. Datum: NPE
Operator: Not operated.
Owner: Shamblin Stone, Inc.
Address: 4703 Pennsylvania Avenue Phone: 304/342-1930
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.368889
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.60861
Remarks: Facility formerly was used for receipt of sand and gravel. Ready-mix concrete plant and open storage area with capacity for 25,000 tons of material are located at rear.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42357 Dock Code: 853 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Elk River** Mile: 3 PWD: 80
Name: **Pennzoil Products Co., Etowah Terminal Dock.**
Location: Mile 2.5, left bank, Elk River, Etowah. Datum: NPE
Operator: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Owner: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Address: 1015 Barlow Drive Phone: 304/342-8161
Town: Etowah State: WV County: Kanawha
Railway Connection: One surface track serves 5-car-capacity unloading rack in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products; fueling towboats and miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.369167
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.6075
Remarks: Two 6-inch pipelines extend from wharf to 10 steel storage tanks at rear, total capacity 95,000 barrels. One 2-inch pipeline is used for fueling. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42357 Dock Code: 843 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 1 PWD: 23
Name: **Amherst Industries, Barge Repair Division Dock.**
Location: Mile 1.0, left bank, Kanawha River, Henderson. Datum: NPE
Operator: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: Phone: 304/675-5190
Town: Henderson State: WV County: Mason
Railway Connection: None.
Purpose: Mooring floating equipment for maintenance and repair; mooring floating drydock.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.831667
Total Berthing Space (feet): | | Longitude (decimal): -82.13194
Remarks: Facility has capacity for mooring approximately 40 barges extending over approximately one mile of river frontage. One 2,000-ton floating drydock is moored at wharf. Wharf barges are equipped with outlets for c welding gas.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42300 Dock Code: 302 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 28 PWD: 102
Name: **Kanawha Manufacturing Co., Buffalo Plant Dock.**
Location: Mile 28.1, right bank, Kanawha River, Eleanor. Datum: NPE
Operator: Kanawha Manufacturing Co.
Owner: Kanawha Manufacturing Co.
Address: Route 62 North. Phone: 304/342-6127
Town: Eleanor State: WV County: Putnam
Railway Connection: None.
Purpose: Shipment of fabricated steel products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.546667
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.95667
Remarks: Steel fabrication plant and approximately 40 acres of open storage area are located at rear. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42328 Dock Code: 101 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 38 PWD: 101
Name: **Putnam Fabricating Co. Dock.**
Location: Mile 37.8, right bank, Kanawha River, Black Betsy. Datum: NPE
Operator: Putnam Fabricating Co., Division of Union Boiler Co.
Owner: Putnam Fabricating Co., Division of Union Boiler Co. (See Remarks).
Address: Phone: 304/755-8171
Town: Black Betsy State: WV County: Putnam
Railway Connection: Two surface tracks serving plant in rear, total capacity 8 cars, and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt and shipment of large steel fabrications.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.492778
Total Berthing Space (feet): 360 | | Longitude (decimal): -81.83556
Remarks: Outer end of 390- by 59-foot steel frame, metal-covered fabrication building covers slips.
Approximately 4 acres of open storage area and 2 acres of covered storage are located at rear.
Facility was for sale at
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42338 Dock Code: 002 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806
Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42339 Dock Code: 202 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944
Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42339 Dock Code: 202 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833
Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42339 Dock Code: 202 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 40 PWD: 99
Name: **Orders & Haynes Paving Co., Poca Dock.**
Location: Mile 40.1, right bank, Kanawha River, Poca. Datum: NPE
Operator: Orders & Haynes Paving Co., Inc.
Owner: West Virginia Steel Corp.
Address: Wright Road Phone: 304/755-5243
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.458889
Total Berthing Space (feet): 525 | | Longitude (decimal): -81.81972
Remarks: Ready mix concrete plant and open storage area with capacity for 40,000 tons of material are located at rear.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42340 Dock Code: 101 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 40 PWD: 98
Name: **Voyager Coal Co. Dock.**
Location: Mile 40.4, right bank, Kanawha River, Poca. Datum: NPE
Operator: Voyager Coal Company.
Owner: West Virginia Steel Corp.
Address: Wright Road Phone: 304/755-2236
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose: Mooring contractor's floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.457222
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.82083
Remarks: Dispatch office is located at rear.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42340 Dock Code: 0-

Port: **Huntington**
Waterway: **Kanawha River** Mile: 42 PWD: 27
Name: **Arrow Industries, Scary Dock.**
Location: Mile 41.7, left bank, Kanawha River, 0.9 miles below Scary. Datum: NPE
Operator: Arrow Industries Corp.
Owner: Arrow Industries Corp.
Address: 962 Winfield Road Phone: 304/755-5300
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.4475
Total Berthing Space (feet): 225 | | Longitude (decimal): -81.83889
Remarks: Approximately 5 acres of open storage area at rear has capacity for 20,000 tons of material. Wharf has capacity for mooring approximately 6 barges.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42341 Dock Code: 602 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 43 PWD: 97
Name: **Monsanto Chemical Co., Nitro Plant Dock.**
Location: Mile 42.5, right bank, Kanawha River, Nitro. Datum: NPE
Operator: Monsanto Chemical Co.
Owner: Monsanto Chemical Co.
Address: 1 Monsanto Road Phone: 304/759-4378
Town: Nitro State: WV County: Putnam
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.436944
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.84833
Remarks: One 6-inch pipeline extends from wharf to one 250,000-gallon steel storage tank at rear. One 4-inch steam line serves wharf.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42342 Dock Code: 401 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 43 PWD: 96
Name: **PB & S Chemical Co., Kanawha Valley Chemport Dock.**
Location: Mile 43.1, right bank, Kanawha River, Nitro. Datum: NPE
Operator: PB & S Chemical Co., Inc.
Owner: PB & S Chemical Co., Inc.
Address: Phone: 304/755-8622
Town: Nitro State: WV County: Putnam
Railway Connection: One surface track serves 5-car-capacity loading rack; connects with Consolidated Rail Corp.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428333
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.85056
Remarks: One 6-inch pipeline extends from wharf to 5 steel storage tanks at rear, total capacity 1,250,000 gallons. One 2-inch steam pipeline serves wharf.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42343 Dock Code: 201 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 43 PWD: 28
Name: **Shamblin Stone, Scary Dock.**
Location: Mile 43.2, left bank, Kanawha River, Scary. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/755-3482
Town: St. Albans State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.85361
Remarks: Open storage area with capacity for 60,000 tons of material is located at rear.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Dock Code: 201 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 44 PWD: 29
Name: **Columbia Gas Transmission Corp. Dock.**
Location: Mile 44.2, left bank, Kanawha River, 1.8 miles below St. Albans. Datum: NPE
Operator: Columbia Gas Transmission Corp.
Owner: Columbia Gas Transmission Corp.
Address: Phone: 304/727-2211
Town: St. Albans State: WV County: Kanawha
Railway Connection: One surface track in rear, total capacity 12 cars; connects with CSX Rail Transport.
Purpose: Occasional receipt of steel pipe.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.412778
Total Berthing Space (feet): | | Longitude (decimal): -81.85083
Remarks: Approximately 15 acres of open storage area and fabrication, welding, and machine shops are located at rear.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42344 Dock Code: 202 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 44 PWD: 30
Name: **Concrete Supply Corp. Dock**
Location: Mile 44.3, left bank, Kanawha River, 1.7 miles below St. Albans. Datum: NPE
Operator: Not operated.
Owner: Concrete Supply Corp.
Address: Phone: 304/766-6191
Town: St. Albans State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.411944
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.85056
Remarks: Facility formerly was used for shipment of coal. Approximately 5 acres of open storage area are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42344 Dock Code: 302 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 45 PWD: 32
Name: **Go Mart Amandaville River Terminal Dock.**
Location: Mile 45.2, left bank, Kanawha River, 0.8 mile below St. Albans. Datum: NPE
Operator: Go Mart, Inc.
Owner: Go Mart, Inc.
Address: Oliver Street Phone: 304/727-5423
Town: St. Albans State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.398889
Total Berthing Space (feet): | | Longitude (decimal): -81.84194
Remarks: Three 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 153,250 barrels. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42345 Dock Code: 202 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 45 PWD: 31
Name: **Peerless Block & Brick Co. Dock**
Location: Mile 44.8, left bank, Kanawha River, 1.2 miles below St. Albans. Datum: NPE
Operator: Peerless Block & Brick Co.
Owner: Peerless Block & Brick Co.
Address: 400 Oliver Street Phone: 304/727-4301
Town: St. Albans State: WV County: Kanawha
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.4025
Total Berthing Space (feet): 420 | | Longitude (decimal): -81.84778
Remarks: Approximately 40 acres of open storage area with capacity for 11,000 tons of sand, 7,500 tons of limestone, and 3,000 tons of gravel, are located in rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42344 Dock Code: 802 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 47 PWD: 95
Name: **Raleigh Junk Co., Sattes Yard Dock.**
Location: Mile 46.7, right bank, Kanawha River, Sattes. Datum: NPE
Operator: Raleigh Junk Co.
Owner: Raleigh Junk Co.
Address: Route 25 and Michigan Avenue Phone: 304/727-8251
Town: Sattes State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt and shipment of scrap metal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.390278
Total Berthing Space (feet): 287 | | Longitude (decimal): -81.8225
Remarks: Approximately 14 acres of open storage area are located at rear. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42346 Dock Code: 601 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 48 PWD: 93
Name: **Dravo Basic Materials Co., Institute Dock.**
Location: Mile 48.4, right bank, Kanawha River, Institute. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Phone: 304/727-4314
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.383333
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.7925
Remarks: Approximately 8 acres of open storage area with capacity for 60,000 tons of material are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42347 Dock Code: 501 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 48 PWD: 94
Name: **Rhone-Poulenc AG Company, Kanawha Valley Fleet Mooring.**
Location: Mile 47.8, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Company.
Owner: Rhone-Poulenc AG Company.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.386667
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.80278
Remarks: Fleeting area has capacity for approximately 30 barges. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42347 Dock Code: 801 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 49 PWD: 91
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 1.**
Location: Mile 49.1, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.378611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.78
Remarks: Two 6- and four 4-inch pipelines extend from wharf to storage tanks described under Ref. No. 90. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Dock Code: 101 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 49 PWD: 92
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 2.**
Location: Mile 48.9, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Occasional receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.379444
Total Berthing Space (feet): 436 | | Longitude (decimal): -81.7825
Remarks: Five 6-, two 4-, and one 3-inch pipelines extend from wharf to storage tanks described under Ref. No. 90. Emergency response boat moors at lower side of pump house and Dock No. 2.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42348 Dock Code: 901 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 49 PWD: 90
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 3.**
Location: Mile 49.3, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.377778
Total Berthing Space (feet): 385 | | Longitude (decimal): -81.77722
Remarks: Five 6-inch pipelines extend from wharf to approximately 200 steel storage tanks at rear, total capacity 60,000,000 gallons. One 4-inch steam pipeline serves wharf.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42349 Dock Code: 301 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 49 PWD: 89
Name: **Rhone-Poulenc AG Company, Institute Plant, Dock No. 4.**
Location: Mile 49.4, right bank, Kanawha River, Institute. Datum: NPE
Operator: Not operated.
Owner: Rhone-Poulenc AG Company.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.376944
Total Berthing Space (feet): 520 | | Longitude (decimal): -81.775
Remarks: □□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42349 Dock Code: 301 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 5 PWD: 103
Name: **B & Q Machine & Repair Dock.**
Location: Mile 5.4, right bank, Kanawha River, Ambrosia. Datum: NPE
Operator: B & Q Machine & Repair, Inc.
Owner: B & Q Machine & Repair, Inc.
Address: Phone: 304/675-1578
Town: Ambrosia State: WV County: Mason
Railway Connection: None.
Purpose: Mooring floating equipment for maintenance and repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 38.805556
Total Berthing Space (feet): 2000 | | Longitude (decimal): -82.05639
Remarks: One 500-ton sidehaul marine railway is located adjacent to upper side. Wharf is equipped with outlets for supplying fresh water, compressed air, electricity, and welding gas.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42305 Dock Code: 401 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 50 PWD: 88
Name: **West Virginia Paving Dock.**
Location: Mile 50.4, right bank, Kanwha River, Dunbar. Datum: NPE
Operator: West Virginia Paving, Inc.
Owner: West Virginia Paving, Inc.
Address: 2902 Charles Avenue. Phone: 304/768-9733
Town: West Dunbar State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.368889
Total Berthing Space (feet): 875 | | Longitude (decimal): -81.76139
Remarks: Approximately 7 acres of open storage area with capacity for 30,000 tons of material are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42350 Dock Code: 301 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 53 PWD: 87
Name: **Shamblin Stone, Wilsons Island Dock.**
Location: Mile 53.1, right bank, Kanawha River, Wilsons Island. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/766-7316
Town: Wilson Island State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 38.361389
Total Berthing Space (feet): 195 | 195 | 195 Longitude (decimal): -81.72
Remarks: Approximately 15 acres of open storage area are located at rear.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42353 Dock Code: 315 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 54 PWD: 34
Name: **City of South Charleston, Kanawha River Dock.**
Location: Mile 53.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: City of South Charleston.
Owner: City of South Charleston.
Address: Phone: 304/744-4008
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring vessels; landing for harbor excursion vessel 'West Virginia Belle.'
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 38.366667
Total Berthing Space (feet): 120 | Longitude (decimal): -81.70972
Remarks: Access for vehicles is via 10-foot wide concrete driveway at rear of shopping center. Ticket office is located at rear.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42353 Dock Code: 804 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 54 PWD: 33
Name: **Park Corp., Charleston Ordnance Center Dock.**
Location: Mile 53.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Park Corp.
Owner: Park Corp.
Address: 3100 MacCorkle Ave. SW Phone: 304/744-1551
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Occasional receipt and shipment of machinery and heavy equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.365278
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.71222
Remarks: Approximately 2 acres of paved, open storage area are located at rear. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42353 Dock Code: 802 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444
Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42354 Dock Code: 402 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222
Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Dock Code: 402 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083
Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck.
Crane for unloading coal from barges had been removed from facility.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Dock Code: 402 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 55 PWD: 86
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 1.**
Location: Mile 55.1, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.373056
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.68833
Remarks: Seven 4-inch pipelines extend from wharf to 38 steel storage tanks at rear, total capacity 16,000,000 gallons.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Dock Code: 101 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 55 PWD: 85
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 2.**
Location: Mile 55.2, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt of propylene.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.372778
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.68611
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 946,000 gallons.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Dock Code: 101 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 55 PWD: 84
 Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 3.**
 Location: Mile 55.3, right bank, Kanawha River, North Charleston. Datum: NPE
 Operator: Union Carbide Corp.
 Owner: Union Carbide Corp.
 Address: Phone: 304/747-2899
 Town: N. Charleston State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Mooring company-owned floating equipment for cleaning and maintenance.
 Depth Alongside (feet): 9 | | Latitude (decimal): 38.372222
 Total Berthing Space (feet): 260 | | Longitude (decimal): -81.68361
 Remarks: Wharf is equipped with three 4-inch water lines and outlets for supplying compressed air, steam and electricity. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42355 Dock Code: 405 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 55 PWD: 38
 Name: **Union Carbide Corp., South Charleston Plant, Dock No. 4.**
 Location: Mile 55.4, left bank, Kanawha River, Blaines Island, South Charleston. Datum: NPE
 Operator: Union Carbide Corp.
 Owner: Union Carbide Corp.
 Address: Phone: 304/747-2899
 Town: S. Charleston State: WV County: Kanawha
 Railway Connection: Five surface tracks serve chemical plant in rear; connect with CSX Rail Transport.
 Purpose: Receipt and shipment of liquid chemicals.
 Depth Alongside (feet): 9 | | Latitude (decimal): 38.371111
 Total Berthing Space (feet): 500 | | Longitude (decimal): -81.68333
 Remarks: One 6- and five 4-inch pipelines extend from wharf to 18 steel storage tanks at rear, total capacity 5,000,000 gallons. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42355 Dock Code: 005 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 56 PWD: 83
Name: **Chevron U. S. A., Charleston Terminal Dock.**
Location: Mile 55.6, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Chevron U. S. A., Inc.
Owner: Chevron U. S. A., Inc.
Address: 207-15 26th Street West Phone: 304/342-1123
Town: N. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.371944
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.68
Remarks: One 8- and three 6-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 117,300 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42355 Dock Code: 601 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 57 PWD: 40
Name: **Rheox, Charleston Terminal Dock.**
Location: Mile 56.8, left bank, Kanawha River, Charleston. Datum: NPE
Operator: Southwestern Portland Cement Co.
Owner: Rheox, Inc.
Address: 1007 MacCorkle Avenue Phone: 304/348-0806
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.360833
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.66111
Remarks: Access is via 12-foot wide, concrete tunnel under MacCorkle Avenue. One 12-inch pipeline extends from wharf through tunnel to 6 cement storage silos at rear, total capacity 11,700 tons.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42356 Dock Code: 802 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 57 PWD: 39
 Name: **Trojan Steel Co. Dock.**
 Location: Mile 56.7, left bank, Kanawha River, Charleston. Datum: NPE
 Operator: Trojan Steel Co. and W & W Towing Co., Inc.
 Owner: Trojan Steel Co.
 Address: 1414 MacCorkle Avenue, S. W. Phone: 304/746-1224
 Town: Charleston State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Receipt and shipment of steel products; mooring company-owned towboats.
 Depth Alongside (feet): 11 | | Latitude (decimal): 38.362222
 Total Berthing Space (feet): 500 | | Longitude (decimal): -81.66472
 Remarks: Steel fabrication plant, warehouse, and approximately 1 acre of open storage area are located at rear. ☐

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42356 Dock Code: 702 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 58 PWD: 78
 Name: **City of Charleston Public Wharf.**
 Location: Mile 58.4, right bank, Kanawha River, Charleston. Datum: NPE
 Operator: City of Charleston.
 Owner: City of Charleston.
 Address: Phone: 304/348-8106
 Town: Charleston State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Mooring vessels; landing for harbor excursion vessel 'P. A. Denny.'
 Depth Alongside (feet): 9 | | Latitude (decimal): 38.349444
 Total Berthing Space (feet): 500 | | Longitude (decimal): -81.64111
 Remarks: A parking lot is located at rear. ☐

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42358 Dock Code: 401 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 58 PWD: 41
 Name: **Exxon Co., USA, Charleston Terminal Dock.**
 Location: Mile 57.9, left bank, Kanawha River, Charleston. Datum: NPE
 Operator: Exxon Co., USA.
 Owner: Exxon Co., USA.
 Address: Phone: 304/347-1059
 Town: Charleston State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Receipt of petroleum products including aviation fuel.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.352778
 Total Berthing Space (feet): 600 | | Longitude (decimal): -81.64667
 Remarks: Access is via 12-foot wide, concrete tunnel under MacCorkle Avenue. Four 8- and five 6-inch pipelines extend from wharf through tunnel to 10 steel storage tanks at rear, total capacity 175,000 barrels.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42357 Dock Code: 902 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 64 PWD: 77
 Name: **Amherst Industries, Port Amherst Aggregates Dock.**
 Location: Mile 63.7, right bank, Kanawha River, Port Amherst. Datum: NPE
 Operator: Amherst Industries, Inc., and Madison Coal & Supply Co.
 Owner: Amherst Industries, Inc.
 Address: 2 Port Amherst Drive Phone: 304/922-1140
 Town: Port Amherst State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Receipt of limestone, sand, gravel, steel products, and heavy equipment; mooring company-owned equipment.
 Depth Alongside (feet): 9 | | Latitude (decimal): 38.310278
 Total Berthing Space (feet): 175 | | Longitude (decimal): -81.56056
 Remarks: Open storage area at rear has capacity for 10,000 tons of limestone, 4,000 tons of sand, and 4,000 tons of gravel. Floating equipment owned by Madison Coal & Supply Co. is moored at upper end.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42363 Dock Code: 901 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 64 PWD: 76
Name: **Amherst Industries, Port Amherst Coal Dock.**
Location: Mile 63.9, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: Three surface tracks in rear, total capacity 45 cars, connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.55972
Remarks: Open storage area at rear has capacity for 15,000 tons of coal. Wharf has capacity for mooring approximately 20 empty barges above and 20 loaded barges below.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42363 Dock Code: 901 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 68 PWD: 75
Name: **Du Pont Belle Plant, Dock No. 1.**
Location: Mile 68.2, right bank, Kanawha River, Belle. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: 901 West Du Pont Avenue. Phone: 304/357-1718
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of anhydrous ammonia.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.244722
Total Berthing Space (feet): 510 | | Longitude (decimal): -81.55944
Remarks: One 10-inch line extends from wharf to one steel storage tank at rear, total capacity 3,683,000 gallons. In addition, one 2-inch compressed air line and one 1-inch steam line serve wharf.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42368 Dock Code: 400 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 69 PWD: 74
Name: **Du Pont Belle Plant, Dock No. 2.**
Location: Mile 68.7, right bank, Kanawha River, Belle. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: 901 West Du Pont Avenue. Phone: 304/357-1028
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.241944
Total Berthing Space (feet): 475 | | Longitude (decimal): -81.55694
Remarks: Open storage area at rear has capacity for 20,000 tons of coal. Wharf has capacity for mooring 3 barges. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42368 Dock Code: 701 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 69 PWD: 73
Name: **Du Pont Belle Plant, Dock No. 4.**
Location: Mile 69.1, right bank, Kanawha River, Belle. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: 901 West Du Pont Avenue. Phone: 304/357-1478
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of acetone and methanol; shipment of refined glycol.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.238889
Total Berthing Space (feet): | | Longitude (decimal): -81.55167
Remarks: Three 8-inch pipelines extend from wharf to two acetone storage tanks, total capacity 1,000,000 gallons, 10 methanol storage tanks, total capacity 5,000,000 gallons, and from one 500,000-gallon refined glycol sto
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42369 Dock Code: 101 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 69 PWD: 42
 Name: **Hatfield Dock & Transfer, Marmet Dock.**
 Location: Mile 68.95, left bank, Kanawha River, Marmet. Datum: NPE
 Operator: Electric Fuels Corp.
 Owner: Electric Fuels Corp.
 Address: Phone: 304/949-3336
 Town: Marmet State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.238056
 Total Berthing Space (feet): 1560 | | Longitude (decimal): -81.55417
 Remarks: Approximately eight acres of open storage area with capacity for 40,000 tons of coal are located at rear. Wharf has capacity for mooring 4 empty barges above and 8 loaded barges below.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42369 Dock Code: 022 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 69 PWD: 72
 Name: **Occidental Chemical Corp., Belle Plant Docks.**
 Location: Mile 69.3, right bank, Kanawha River, Belle. Datum: NPE
 Operator: Occidental Chemical Corp.
 Owner: Occidental Chemical Corp.
 Address: Phone: 304/949-4515
 Town: Belle State: WV County: Kanawha
 Railway Connection: Five surface tracks serve plant in rear, total capacity 10 cars; connect with Consolidated Rail Corp.
 Purpose: Receipt of chlorine at upper dock; shipment of chlorinated solvents at lower dock.
 Depth Alongside (feet): 12 | 12 | Latitude (decimal): 38.235833
 Total Berthing Space (feet): | | Longitude (decimal): -81.5475
 Remarks: One 3- and one 2-inch pipelines extend from upper dock to 7 chlorine storage tanks at rear, total capacity 100,000 gallons. Two 6-inch pipelines extend to lower dock from 3 chlorinated solvents storage tanks at 1,000,000 gallons.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42369 Dock Code: 301 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 69 PWD: 43
Name: **River Point Processing Co. Dock.**
Location: Mile 69.2, left bank, Kanawha River, Marmet. Datum: NPE
Operator: River Point Processing Co.
Owner: River Point Processing Co.
Address: 11003 MacCorkle Avenue Phone: 304/949-6242
Town: Marmet State: WV County: Kanawha
Railway Connection: Two surface tracks in rear, total capacity 65 cars, connecting with CSX Rail Transport were not in use at time of survey.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.236667
Total Berthing Space (feet): 910 | | Longitude (decimal): -81.55222
Remarks: Open storage area with capacity for 50,000 tons of coal is located at rear. Wharf has capacity for mooring 7 empty barges above and 4 loaded barges below. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42369 Dock Code: 102 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 70 PWD: 71
Name: **Cecil I. Walker Machinery Co., Belle Dock.**
Location: Mile 70.1, right bank, Kanawha River, Belle. Datum: NPE
Operator: Cecil I. Walker Machinery Co.
Owner: Cecil I. Walker Machinery Co.
Address: Phone: 304/949-6400
Town: Belle State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring vessels for diesel engine maintenance and repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.228056
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.53778
Remarks: Approximately 25 acres of open storage area and engine repair shops are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42370 Dock Code: 101 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 70 PWD: 44
 Name: **Shamblin Stone, Marmet Yard Dock.**
 Location: Mile 69.5, left bank, Kanawha River, Marmet. Datum: NPE
 Operator: Shamblin Stone, Inc.
 Owner: Shamblin Stone, Inc.
 Address: Phone: 304/949-5614
 Town: Marmet State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Receipt of limestone, sand, and gravel.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.235556
 Total Berthing Space (feet): | | Longitude (decimal): -81.55056
 Remarks: Approximately 5 acres of open storage area are located at rear. □ □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42369 Dock Code: 104 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 72 PWD: 45
 Name: **Winifrede Railroad, Chesapeake Dock.**
 Location: Mile 71.7, left bank, Kanawha River, Chesapeake. Datum: NPE
 Operator: Winifrede Railroad Co.
 Owner: Winifrede Railroad Co.
 Address: 1 Carbon Center Phone: 304/949-6083
 Town: Chesapeake State: WV County: Kanawha
 Railway Connection: Twelve surface tracks in rear with capacity for 100 loaded and 60 empty cars connect with Winifrede Railroad Company and CSX Rail Transport.
 Purpose: Shipment of coal. (See Remarks).
 Depth Alongside (feet): 14 | | Latitude (decimal): 38.211111
 Total Berthing Space (feet): 2000 | | Longitude (decimal): -81.52139
 Remarks: Wharf with capacity for mooring 30 empty barges above and 30 loaded barges below was inactive at time of survey. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42371 Dock Code: 802 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 73 PWD: 46
Name: **Amherst Industries, Chelyan Dock.**
Location: Mile 73.0, left bank, Kanawha River, Chelyan. Datum: NPE
Operator: Cannelton Industries, Inc.
Owner: Amherst Industries, Inc.
Address: Phone: 304/595-4720
Town: Chelyan State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.197778
Total Berthing Space (feet): 700 | | Longitude (decimal): -81.50556
Remarks: Open storage area located at rear has capacity for 6,000 tons of coal is located at rear. Wharf has capacity for mooring 2 empty barges above and 2 loaded barges below.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42373 Dock Code: 002 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 73 PWD: 70
Name: **Hatfield Dock & Transfer, Quincy Dock.**
Location: Mile 73.15, right bank, Kanawha River, Quincy. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: Phone: 304/949-3336
Town: Quincy State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 38.198611
Total Berthing Space (feet): 875 | | Longitude (decimal): -81.5
Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Facility has capacity for mooring 20 empty barges above, and 20 loaded barges below. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42373 Dock Code: 211 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 73 PWD: 47
Name: **Nu East Mining Corp., Chelyan Dock.**
Location: Mile 73.2, left bank, Kanawha River, Chelyan. Datum: NPE
Operator: Nu East Mining Corp.
Owner: Nu East Mining Corp.
Address: Phone: 304/595-1134
Town: Chelyan State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.196389
Total Berthing Space (feet): 1225 | | Longitude (decimal): -81.49917
Remarks: Approximately 5 acres of open storage area are located at rear. Wharf has capacity for mooring 8 empty barges above and 12 loaded barges below. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42373 Dock Code: 302 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 75 PWD: 50
Name: **Catenary Coal Co., Coalburg East Dock**
Location: Mile 75.3, left bank, Kanawha River, Coalburg. Datum: NPE
Operator: Not operated.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Coalburg State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.204722
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.46417
Remarks: Wharf formerly was used for shipment of coal. Open storage area at rear of railroad tracks has capacity for 2,000 tons of coal. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42375 Dock Code: 302 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 75 PWD: 49
Name: **Catenary Coal Co., Coalburg West Dock**
Location: Mile 75.1, left bank, Kanawha River, Coalburg. Datum: NPE
Operator: Not operated.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Coalburg State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.203333
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.46778
Remarks: Wharf formerly was used for shipment of coal. Open storage area at rear has capacity for 10,000 tons.
Wharf has capacity for mooring 4 empty barges above and 4 loaded barges below.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42375 Dock Code: 102 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 75 PWD: 69
Name: **Shrewsbury Coal Co., Shrewsbury Dock.**
Location: Mile 74.6, right bank, Kanawha River, Shrewsbury. Datum: NPE
Operator: Shrewsbury Coal Co.
Owner: Valley Camp Coal Co.
Address: 2971 E. DuPont Avenue. Phone: 304/595-2131
Town: Shrewsbury State: WV County: Kanawha
Railway Connection: Two surface tracks in rear, total capacity 22 cars, connect with Consolidated Rail Corp.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -81.47639
Remarks: Open storage area at rear has capacity for approximately 30,000 tons of coal. Wharf has capacity for
mooring 30 empty barges above and 30 loaded barges below.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42374 Dock Code: 601 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 75 PWD: 48
Name: **Uno-Ven Co., Cabin Creek Terminal Dock.**
Location: Mile 74.6, left bank, Kanawha River, Cabin Creek. Datum: NPE
Operator: Not operated.
Owner: Uno-Ven Co.
Address: Phone: 304/768-9846
Town: Cabin Creek State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.200833
Total Berthing Space (feet): 392 | | Longitude (decimal): -81.47333
Remarks: Wharf formerly was used for the receipt of lubricating oil. Two 8-, two 6-, and one 4-inch pipelines extending from wharf to 5 steel storage tanks at rear, total capacity 19,500 barrels, were not in use at time o closed at time of survey.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42374 Dock Code: 702 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 76 PWD: 68
Name: **Indiana & Michigan Power Co., Cedar Grove Landing.**
Location: Mile 76.4, right bank, Kanawha River, Monarch. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Mitchell Rashid.
Address: Phone: 304/675-4700
Town: Monarch State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.217778
Total Berthing Space (feet): 1200 | | Longitude (decimal): -81.45083
Remarks: Facility has capacity for mooring approximately 20 barges arranged in 5 tiers, each 4 barges wide. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42376 Dock Code: 501 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 76 PWD: 51
 Name: **W. R. Morris, East Bank Dock.**
 Location: Mile 76.0, left bank, Kanawha River, East Bank. Datum: NPE
 Operator: Not operated. (See Remarks.)
 Owner: W. R. Morris, Inc.
 Address: Phone: 304/595-1818
 Town: East Bank State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 12 | | Latitude (decimal): 38.213056
 Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.455
 Remarks: Facility formerly was used for shipment of coal. Open storage area at rear has capacity for 10,500 tons. At time of survey, plans called for the installation of new coal loading equipment, including a telescopic reclaim hoppers, a larger screening and crushing unit, six steel pile breasting dolphins and five timber pile breasting dolphins. Proposed wharf will have capacity for mooring 3 empty barges above, and 6 loaded barge
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42376 Dock Code: 002 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 78 PWD: 66
 Name: **Appalachian Power Co., Kanawha River Plant Dock.**
 Location: Mile 78.3, right bank, Kanawha River, Glasgow. Datum: NPE
 Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
 Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
 Address: Phone: 304/595-3480x1
 Town: Glasgow State: WV County: Kanawha
 Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
 Purpose: Receipt of coal for plant consumption.
 Depth Alongside (feet): 12 | | Latitude (decimal): 38.2075
 Total Berthing Space (feet): 1050 | | Longitude (decimal): -81.42583
 Remarks: Open storage area has capacity for approximately 325,000 tons of coal. Wharf has capacity for mooring 6 empty barges below, and 6 loaded barges above. One icebreaker cell is located at upper end.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42378 Dock Code: 301 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 78 PWD: 67
Name: **Shrewsbury Coal Co., Cedar Grove Dock.**
Location: Mile 77.7, right bank, Kanawha River, Cedar Grove. Datum: NPE
Operator: Shrewsbury Coal Co.
Owner: Valley Camp Coal Co.
Address: 2971 East DuPont Avenue Phone: 304/595-2131
Town: Cedar Grove State: WV County: Kanawha
Railway Connection: Two surface tracks in rear, total capacity 34 cars; connect with Consolidated Rail Corp.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 - 18 | | Latitude (decimal): 38.217222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -81.43139
Remarks: Facility has capacity for mooring 16 empty barges above and 35 loaded barges below. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42377 Dock Code: 701 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 79 PWD: 53
Name: **Catenary Coal Co., Crown Hill Lower Dock.**
Location: Mile 79.1, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.201944
Total Berthing Space (feet): 560 | | Longitude (decimal): -81.41333
Remarks: Open storage area at rear has capacity for 2,000 tons of material. □ □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Dock Code: 202 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 79 PWD: 54
 Name: **Catenary Coal Co., Crown Hill Upper Dock.**
 Location: Mile 79.2, left bank, Kanawha River, Crown Hill. Datum: NPE
 Operator: Catenary Coal Co.
 Owner: Catenary Coal Co.
 Address: Phone: 304/595-1452
 Town: Crown Hill State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
 Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.4125
 Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring 15 empty barges above and 10 loaded barges below. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42379 Dock Code: 202 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 79 PWD: 52
 Name: **Kanawha Transportation Center, Kanawha River Dock.**
 Location: Mile 78.95, left bank, Kanawha River, Crown Hill. Datum: NPE
 Operator: Not operated. (See Remarks.)
 Owner: Kanawha Transportation Center, Inc.
 Address: Phone: 614/926-1351
 Town: Crown Hill State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 12 | | Latitude (decimal): 38.201389
 Total Berthing Space (feet): 1200 | | Longitude (decimal): -81.41694
 Remarks: Open storage area at rear has capacity for 40,000 tons of coal. Wharf with capacity for mooring 4 empty barges above, and 4 loaded barges below was in the preconstruction stage at time of survey and will be used coal; type of construction and equipment are described as specified in the permit.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42378 Dock Code: 0-

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 80 PWD: 65
Name: **Raleigh Junk Co., Riverside Yard Dock.**
Location: Mile 79.6, right bank, Kanawha River, Riverside. Datum: NPE
Operator: Raleigh Junk Co.
Owner: Raleigh Junk Co.
Address: U. S. Route 60 Phone: 304/949-1597
Town: Riverside State: WV County: Kanawha
Railway Connection: One surface track at rear of face, total length 200 feet; connects with Consolidated Rail Corp..
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.205833
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.40472
Remarks: Approximately 15 acres of open storage area are located at rear.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42379 Dock Code: 711 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 82 PWD: 63
Name: **Baker Oil Co. Dock.**
Location: Mile 81.6, right bank, Kanawha River, Hugheston. Datum: NPE
Operator: Baker Oil Co.
Owner: Baker Oil Co.
Address: U. S. Highway 60 Phone: 304/442-2439
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.206944
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.37611
Remarks: Four 8-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 115,000 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42381 Dock Code: 601 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Kanawha River** Mile: 82 PWD: 64
Name: **Montgomery Iron & Dock, Hugheston Dock.**
Location: Mile 81.5, right bank, Kanawha River, Hugheston. Datum: NPE
Operator: Not operated.
Owner: Montgomery Iron & Dock, Inc.
Address: Phone: 304/442-2100
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.210278
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.37778
Remarks: Facility former used for shipment of coal has capacity for mooring 2 empty barges above, and 2 loaded barges below. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42381 Dock Code: 501 Huntington District

Port: **Huntington**
Waterway: **Kanawha River** Mile: 82 PWD: 62
Name: **Shamblin Stone, Hugheston Dock**
Location: Mile 81.7, right bank, Kanawha River, Hugheston. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/442-9487
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, salt, sand, and gravel.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.205556
Total Berthing Space (feet): | | Longitude (decimal): -81.37556
Remarks: Approximately 5 acres of open storage area are located at rear. □ □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42381 Dock Code: 801 Huntington District

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 84 PWD: 61
 Name: **Cannelton Industries Dock.**
 Location: Mile 84.2, right bank, Kanawha River, 1.5 miles above London. Datum: NPE
 Operator: Cannelton Industries, Inc.
 Owner: Cannelton Industries, Inc.
 Address: Phone: 304/442-9575
 Town: London State: WV County: Kanawha
 Railway Connection: One surface track in rear connecting with CSX Rail Transport was not in use at time of survey.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 38.182778
 Total Berthing Space (feet): 3000 | | Longitude (decimal): -81.34611
 Remarks: Open storage area with capacity for 400,000 tons of coal is located at rear. Wharf has capacity for mooring 19 empty barges above, and 17 loaded barges below.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42384 Dock Code: 501 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 84 PWD: 55
 Name: **Nu East Mining, Montgomery Dock.**
 Location: Mile 84.4, left bank, Kanawha River, Montgomery. Datum: NPE
 Operator: Not operated.
 Owner: Nu East Mining Corp.
 Address: Phone: 304/344-0300
 Town: Montgomery State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 7 | | Latitude (decimal): 38.180833
 Total Berthing Space (feet): 900 | | Longitude (decimal): -81.345
 Remarks: Facility formerly used for shipment of coal has capacity for mooring 10 empty barges above and 6 loaded barges below. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42384 Dock Code: 302 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 85 PWD: 56
 Name: **Marsico Brothers Dock.**
 Location: Mile 84.7, left bank, Kanawha River, Montgomery. Datum: NPE
 Operator: Marsico Brothers, Inc.
 Owner: Marsico Brothers, Inc.
 Address: 1214 2d Avenue Phone: 304/442-9331
 Town: Montgomery State: WV County: Kanawha
 Railway Connection: None.
 Purpose: Receipt of limestone, sand, and gravel.
 Depth Alongside (feet): 12 | | Latitude (decimal): 38.180833
 Total Berthing Space (feet): 400 | | Longitude (decimal): -81.33611
 Remarks: Ready-mix concrete plant and open storage area with capacity for 19,000 tons of material are located at rear.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42384 Dock Code: 802 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 87 PWD: 57
 Name: **Cyprus Kanawha Corp., Eagle Loading Facility Dock.**
 Location: Mile 87.2, left bank, Kanawha River, Eagle. Datum: NPE
 Operator: Cyprus Kanawha Corp.
 Owner: Cyprus Kanawha Corp.
 Address: Phone: 304/442-4572
 Town: Eagle State: WV County: Fayette
 Railway Connection: None.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 12 | | Latitude (decimal): 38.164722
 Total Berthing Space (feet): 2970 | | Longitude (decimal): -81.30806
 Remarks: Wharf has capacity for mooring 8 empty barges above and 10 loaded barges below.□□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42387 Dock Code: 302 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 88 PWD: 60
 Name: **Hawks Nest Mining Co., Harewood Loading Dock.**
 Location: Mile 88.1, right bank, Kanawha River, Harewood. Datum: NPE
 Operator: Hawks Nest Mining Co.
 Owner: Hawks Nest Mining Co.
 Address: Phone: 304/343-6550
 Town: Harewood State: WV County: Fayette
 Railway Connection: One surface track serving coal loading spout in rear, total capacity 47 cars, connecting with CSX Rail Transport, was not in use at time of survey.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 12 | | Latitude (decimal): 38.156389
 Total Berthing Space (feet): 1750 | | Longitude (decimal): -81.29611
 Remarks: Open storage area with capacity for 20,000 tons of coal is located at rear. Facility has capacity for mooring 12 empty barges above and 15 loaded barges below.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42388 Dock Code: 101 Huntington District

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 89 PWD: 59
 Name: **Exxon Co., USA, Boomer Terminal Dock.**
 Location: Mile 88.9, right bank, Kanawha River, Boomer. Datum: NPE
 Operator: Not operated.
 Owner: Exxon Co., USA.
 Address: Phone: 304/347-1059
 Town: Boomer State: WV County: Fayette
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 38.148056
 Total Berthing Space (feet): 400 | | Longitude (decimal): -81.28722
 Remarks: Wharf formerly was used for the receipt of petroleum products. Two 8- and three 6-inch pipelines extending from wharf to 4 steel storage tanks at rear, total capacity 115,600 barrels, were not in use at time of s
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42388 Dock Code: 901 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Kanawha River** Mile: 90 PWD: 58
 Name: **Elkhem Metals Co. Dock.**
 Location: Mile 89.7, right bank, Kanawha River, Alloy. Datum: NPE
 Operator: Elkhem Metals Co. and Vandalia Mining Corp.
 Owner: Elkhem Metals Co.
 Address: Phone: 304/779-3300
 Town: Alloy State: WV County: Fayette
 Railway Connection: Two surface tracks in rear; connect with CSX Rail Transport and Norfolk Southern Railway Co.
 Purpose: Shipment and occasional receipt of coal.
 Depth Alongside (feet): 10 | | Latitude (decimal): 38.136389
 Total Berthing Space (feet): 675 | | Longitude (decimal): -81.28056
 Remarks: Open storage area with capacity for 100,000 tons of coal is located at rear. Wharf has capacity for mooring 24 empty barges above and 24 loaded barges below.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42389 Dock Code: 701 Huntington District

Port: **Huntington**
 Waterway: **Little Kanawha River** Mile: 2 PWD: 122
 Name: **Dock Side, Little Kanawha River Dock.**
 Location: Mile 2.0, left bank, Little Kanawha River, Parkersburg. Datum: NPE
 Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises.
 Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises.
 Address: 400 Buckeye Street. Phone: 304/485-0945
 Town: Parkersburg State: WV County: Wood
 Railway Connection: One surface track connects with Little Kanawha River Rail and CSX Rail Transport.
 Purpose: Receipt of limestone, sand, and gravel.
 Depth Alongside (feet): 15 | | Latitude (decimal): 39.255556
 Total Berthing Space (feet): 380 | | Longitude (decimal): -81.53472
 Remarks: Approximately 4 acres of open storage area are located at rear.□□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42797 Dock Code:

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Little Kanawha River** Mile: 2 PWD: 123
Name: **Dravo Basic Materials Co., Merrill Yard Dock.**
Location: Mile 2.1, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Foot of Kanawha Street. Phone: 304/428-5501
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.254444
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.53333
Remarks: Approximately 13 acres of open storage area are located at rear with capacity for 60,000 tons of material. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42797 Dock Code: 222 Huntington District

Port: **Huntington**
Waterway: **Little Kanawha River** Mile: 2 PWD: 128
Name: **Golden Crude Oil Corp., Parkersburg Dock.**
Location: Mile 1.6, right bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Golden Crude Oil Corp.
Owner: Golden Crude Oil Corp.
Address: 516 Camden Street. Phone: 304/422-0576
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.258611
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.54222
Remarks: Four 6-inch pipelines extend to wharf from 4 steel storage tanks at rear, total capacity 44,000 barrels. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42797 Dock Code:

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Little Kanawha River** Mile: 2 PWD: 124
Name: **West Virginia Paving, Parkersburg Dock.**
Location: Mile 2.4, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: West Virginia Paving, Inc.
Owner: West Virginia Paving, Inc.
Address: Phone: 304/422-4709
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.251111
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.53
Remarks: Open storage area with capacity for 80,000 tons of material is located at rear. At time of survey (1991), plans called for the construction of a 100-foot long steel sheet pile bulkhead and the installation of six to provide for a total berthing space of 800 feet.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Dock Code:

Port: **Huntington**
Waterway: **Little Kanawha River** Mile: 3 PWD: 126
Name: **Carl Kelly Paving, Parkersburg Dock.**
Location: Mile 3.1, right bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Carl Kelly Paving, Inc.
Owner: Carl Kelly Paving, Inc.
Address: Phone: 304/424-7353
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel..
Depth Alongside (feet): 15 | | Latitude (decimal): 39.246111
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.51917
Remarks: Open storage area with capacity for 10,000 tons of material is located at rear.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Dock Code:

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Little Kanawha River** Mile: 3 PWD: 125
Name: **Century Block Co., Parkersburg Dock.**
Location: Mile 2.6, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Century Block Co.
Owner: Century Block Co.
Address: Phone: 304/422-5441
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.246111
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.52139
Remarks: Open storage area with capacity for 10,000 tons of limestone is located at rear. At time of survey (1991), plans called for the construction of a steel sheet pile bulkhead and the installation of six timber breas this facility.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Dock Code:

Port: **Huntington**
Waterway: **Little Kanawha River** Mile: 3 PWD: 127
Name: **Criss Concrete Co., Parkersburg Dock.**
Location: Mile 3.0, right bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Criss Concrete Co.
Owner: Criss Concrete Co.
Address: Phone: 304/485-4585
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.246944
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.52
Remarks: Open storage area with capacity for ****000 tons of material is located at rear. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Dock Code:

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Mill Creek** Mile: 1 PWD: 118
Name: **Valley Millwood Plant Dock.**
Location: Mile 0.8, left bank, Mill Creek, Millwood. Datum: NPE
Operator: Valley, Inc.
Owner: Valley, Inc.
Address: Phone: 304/273-5555
Town: Millwood State: WV County: Jackson
Railway Connection: One surface track connects with CSX Rail Transport.
Purpose: Receipt of limestone, sand, gravel, aluminum ingots, and salt.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 38.89
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.84972
Remarks: Open storage area with capacity for 30,000 tons of material is located at rear. Two storage warehouses located at rear have capacity for 4,000 tons of salt. An additional four storage warehouses are available for products and other materials.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42749 Dock Code: 501 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 106 PWD: 156
Name: **Hanlin Chemicals-West Virginia Dock.**
Location: Mile 105.9, left bank, Ohio River, 4.3 miles below Moundsville. Datum: NPE
Operator: Hanlin Chemicals-West Virginia, Inc.
Owner: Hanlin Chemicals-West Virginia, Inc.
Address: Phone: 304/843-1310
Town: Moundsville State: WV County: Marshall
Railway Connection: Nine surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Shipment of caustic soda and chlorine; receipt of methanol.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.905556
Total Berthing Space (feet): | | Longitude (decimal): -80.80583
Remarks: One 4-inch pipeline extends to wharf from 4 caustic soda storage tanks at rear, total capacity 600,000 gallons; one 1 1/2-inch pipeline extends to wharf from 4 chlorine storage tanks at rear, total capacity 1,400 6-inch pipeline extends from wharf to one 500,000-gallon methanol storage tank.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43875 Dock Code: 002 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 110 PWD: 155
Name: **Consolidation Coal Co., Ireland Mine Loading Dock.**
Location: Mile 110.4, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Phone: 304/843-3520
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.851667
Total Berthing Space (feet): 2650 | | Longitude (decimal): -80.81194
Remarks: One concrete silo at rear has capacity for 1,800 tons of coal. Bulldozers and front-end loaders are available as needed. Fleeting area has capacity for mooring 16 empty and 20 loaded barges.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43870 Dock Code: 502 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 112 PWD: 154
Name: **Ohio Power Co., Mitchell Power Plant, Coal Unloading Dock.**
Location: Mile 112.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.83
Total Berthing Space (feet): 1800 | | Longitude (decimal): -80.82139
Remarks: Open storage area at rear has capacity for 1,400,000 tons of coal. A company- owned towboat is used for handling barges.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43868 Dock Code: 702 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 113 PWD: 153
 Name: **Ohio Power Co., Mitchell Power Plant, Fuel Oil Dock.**
 Location: Mile 112.5, left bank, Ohio River, Franklin Township. Datum: NPE
 Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
 Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
 Address: Phone: 304/845-6220x3
 Town: Franklin Twnshi State: WV County: Marshall
 Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
 Purpose: Receipt of fuel oil for plant consumption.
 Depth Alongside (feet): 14 | | Latitude (decimal): 39.826944
 Total Berthing Space (feet): 160 | | Longitude (decimal): -80.82028
 Remarks: One 8-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 48,000 barrels.□
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Dock Code: 702 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 115 PWD: 152
 Name: **Columbian Chemicals Co., Marshall Plant Dock.**
 Location: Mile 114.5, left bank, Ohio River, approximately 0.8 mile below Fish Creek. Datum: NPE
 Operator: Columbian Chemicals Co.
 Owner: Columbian Chemicals Co.
 Address: Phone: 304/845-1519
 Town: Graysville Stat State: WV County: Marshall
 Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
 Purpose: Receipt of carbon black feed stock oil.
 Depth Alongside (feet): 20 | | Latitude (decimal): 39.798889
 Total Berthing Space (feet): 170 | | Longitude (decimal): -80.82361
 Remarks: One 6-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 6,000,000 gallons.□
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43866 Dock Code: 102 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 119 PWD: 151
 Name: **PPG Industries, Natrium Plant Benzene Dock.**
 Location: Mile 119.1, left bank, Ohio River, Natrium. Datum: NPE
 Operator: PPG Industries, Inc.
 Owner: PPG Industries, Inc.
 Address: Phone: 304/845-2200x3
 Town: Natrium State: WV County: Marshall
 Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
 Purpose: Receipt of benzene.
 Depth Alongside (feet): 20 | | Latitude (decimal): 39.748889
 Total Berthing Space (feet): 180 | | Longitude (decimal): -80.8575
 Remarks: One 4-inch pipeline extends from wharf to one 500,000-gallon steel storage tank at rear. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43861 Dock Code: 802 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 119 PWD: 150
 Name: **PPG Industries, Natrium Plant Caustic and Chlorine Docks.**
 Location: Mile 119.4, left bank, Ohio River, Natrium. Datum: NPE
 Operator: PPG Industries, Inc.
 Owner: PPG Industries, Inc.
 Address: Phone: 304/845-2200x3
 Town: Natrium State: WV County: Marshall
 Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
 Purpose: Shipment of chlorine and caustic soda.
 Depth Alongside (feet): 20 | | Latitude (decimal): 39.746389
 Total Berthing Space (feet): 1040 | | Longitude (decimal): -80.85583
 Remarks: One 6-inch pipeline extends to wharf from one 275,000-gallon caustic soda storage tank and one 2-inch pipeline extends to wharf from one 30,000-gallon chlorine storage tank at rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43861 Dock Code: 802 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 120 PWD: 149
Name: **PPG Industries, Natrium Plant, Coal Unloading Dock.**
Location: Mile 119.5, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.744722
Total Berthing Space (feet): 1160 | | Longitude (decimal): -80.85333
Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring 10 loaded barges above and 20 empty barges below. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43861 Dock Code: 402 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 121 PWD: 148
Name: **Miles, New Martinsville Plant, North Dock.**
Location: Mile 121.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Miles, Inc.
Owner: Miles, Inc.
Address: Phone: 304/455-4400x2
Town: Franklin Townsh State: WV County: Marshall
Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of benzene and toluene; shipment of hydrochloric acid.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.727222
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.83556
Remarks: One 4-inch pipeline extends from wharf to 3 steel hydrochloric acid storage tanks, total capacity 2,000,000 gallons; one 6-inch pipeline extends from wharf to 2 benzene tanks, total capacity 900,000 gallons; and extends from wharf to one 500,000-gallon toluene tank.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43860 Dock Code: 302 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 121 PWD: 147
 Name: **Miles, New Martinsville Plant, South Dock.**
 Location: Mile 121.3, left bank, Ohio River, Franklin Township. Datum: NPE
 Operator: Miles, Inc.
 Owner: Miles, Inc.
 Address: Phone: 304/455-4400x2
 Town: Franklin Townsh State: WV County: Marshall
 Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
 Purpose: Receipt of fuel oil for plant consumption; receipt of aniline oil.
 Depth Alongside (feet): 20 | | Latitude (decimal): 39.723889
 Total Berthing Space (feet): 140 | | Longitude (decimal): -80.8325
 Remarks: One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 95,200 barrels; and one 6-inch pipeline extends from wharf to 2 aniline oil storage tanks, total capacity 1,000,000 gallons
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43860 Dock Code: 002 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 127 PWD: 146
 Name: **Dravo Basic Materials Co., New Martinsville Yard Dock.**
 Location: Mile 127.2, left bank, Ohio River, New Martinsville. Datum: NPE
 Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
 Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
 Address: Phone: 304/455-5847
 Town: New Martinsvill State: WV County: Wetzel
 Railway Connection: One surface track serves area in rear; connects with CSX Rail Transport.
 Purpose: Receipt of limestone, sand, and gravel.
 Depth Alongside (feet): 25 | | Latitude (decimal): 39.653611
 Total Berthing Space (feet): 135 | | Longitude (decimal): -80.86278
 Remarks: Approximately 8 acres of open storage area with capacity for 60,000 tons of coal are located at rear. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42853 Dock Code: 832 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 145 PWD: 145
Name: **Union Carbide Chemicals and Plastics Co., Sistersville Plant Dock.**
Location: Mile 145.3, left bank, Ohio River, Long Reach. Datum: NPE
Operator: Not operated.
Owner: Union Carbide Chemicals and Plastics Co., Inc., Specialty Chemicals Division.
Address: Phone: 304/652-3211x5
Town: Long Reach State: WV County: Tyler
Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.485833
Total Berthing Space (feet): 165 | | Longitude (decimal): -81.09694
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption. One 8-inch pipeline extending from wharf was not in use at time of survey. Approximately 7.6 miles above wharf, the Sistersville Ferry operat ramps at mile 137.7 near the communities of Sistersville, WV, and Springtown Fly, OH, on the left and right banks, respectively.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42835 Dock Code: 702 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 146 PWD: 144
Name: **CNG Energy Co., Long Reach Dock.**
Location: Mile 146.3, left bank, Ohio River, Long Reach. Datum: NPE
Operator: CNG Energy Co.
Owner: CNG Energy Co.
Address: Phone: 304/422-0349
Town: Long Reach State: WV County: Tyler
Railway Connection: None.
Purpose: Receipt of natural gas.
Depth Alongside (feet): 17 | | Latitude (decimal): 39.473056
Total Berthing Space (feet): 240 | | Longitude (decimal): -81.10583
Remarks: One 8-inch pipeline extends from wharf to one 23,800-barrel natural gasoline storage tank approximately one mile inland. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42835 Dock Code: 101 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 147 PWD: 143
Name: **Business Brokers Realty, Bens Run Dock.**
Location: Mile 147.0, left bank, Ohio River, Bens Run. Datum: NPE
Operator: Not operated.
Owner: Business Brokers Realty.
Address: Phone: 304/344-8989
Town: Bens Run State: WV County: Pleasants
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.464444
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.11222
Remarks: Wharf formerly was used for shipment of brine. One unused 10-inch pipeline extends to wharf from two brine reservoirs at rear, total capacity 5,000,000 gallons. The reservoirs are supplied by a 10-inch pipeline e natural salt formations inland. Facility was for sale at time of survey.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42834 Dock Code: 002 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 150 PWD: 142
Name: **Dravo Basic Materials Co., St. Marys Yard Dock.**
Location: Mile 150.4, left bank, Ohio River, 4.6 miles above St. Marys. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Phone: 304/684-7104
Town: St. Marys State: WV County: Pleasants
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.439167
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.15944
Remarks: Approximately 15 acres of open storage area with capacity for 60,000 tons of material are located at rear.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42830 Dock Code: 802 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 155 PWD: 141
Name: **St. Marys Refining Co. Dock.**
Location: Mile 155.1, left bank, Ohio River, St. Marys. Datum: NPE
Operator: St. Marys Refining Co., Inc.
Owner: St. Marys Refining Co., Inc.
Address: 201 Barkwill Street Phone: 304/684-2200
Town: St. Marys State: WV County: Pleasants
Railway Connection: Two surface tracks serve plant in rear, capacity 20 cars; connect with CSX Rail Transport.
Purpose: Receipt and shipment of crude oil, blending oil, gasoline, and fuel oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.388333
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.21056
Remarks: One 12-, two 8-, and two 6-inch pipelines extend to wharf from 20 steel storage tanks at rear, total capacity 465,000 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42825 Dock Code: 802 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 158 PWD: 140
Name: **Westbrook Trucking, Belmont Dock.**
Location: Mile 157.8, left bank, Ohio River, Belmont. Datum: NPE
Operator: Westbrook Trucking, Inc.
Owner: Westbrook Trucking, Inc.
Address: Phone: 304/665-2580
Town: Belmont State: WV County: Pleasants
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.384722
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.25611
Remarks: Approximately 4 acres of open storage area are located at rear.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42824 Dock Code: 802 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 163 PWD: 136
 Name: **Lambert Enterprises Dock.**
 Location: Mile 162.9, left bank, Ohio River, 1 mile above Maplewood. Datum: NPE
 Operator: Lambert Enterprises, Inc.
 Owner: Lambert Enterprises, Inc.
 Address: Phone: 304/665-2941
 Town: Maplewood State: WV County: Pleasants
 Railway Connection: None.
 Purpose: Receipt of limestone, sand, gravel, and salt; occasional receipt of coal.
 Depth Alongside (feet): 20 | | Latitude (decimal): 39.348889
 Total Berthing Space (feet): 545 | | Longitude (decimal): -81.33556
 Remarks: A 35-acre open storage area at rear has capacity for over 1,000,000 tons of dry bulk materials.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42818 Dock Code: 102 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 164 PWD: 135
 Name: **Cabot Corp., Waverly Plant Dock.**
 Location: Mile 164.0, left bank, Ohio River, 1 mile above Waverly. Datum: NPE
 Operator: Cabot Corp.
 Owner: Cabot Corp.
 Address: Phone: 304/665-2441
 Town: Waverly State: WV County: Pleasants
 Railway Connection: Two surface tracks serve plant in rear; connect with CSX Rail Transport.
 Purpose: Receipt of No. 6 fuel oil.
 Depth Alongside (feet): 20 | | Latitude (decimal): 39.339722
 Total Berthing Space (feet): 360 | | Longitude (decimal): -81.35667
 Remarks: One 12-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 100,000 barrels.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42817 Dock Code: 002 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 179 PWD: 134
Name: **Joe S. Towing Co. Dock.**
Location: Mile 178.5, left bank, Ohio River, Vienna. Datum: NPE
Operator: Joe S. Towing Co.
Owner: Joe S. Towing Co.
Address: Phone: 304/295-4223
Town: Vienna State: WV County: Wood
Railway Connection: None.
Purpose: Mooring company-owned vessels and equipment; mooring barges for fleetling.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.350833
Total Berthing Space (feet): 680 | | Longitude (decimal): -81.53972
Remarks: Fleetling area extends approximately 1-1/2 miles along left bank and has capacity for fleetling up to 100 barges. In addition, fleetling for approximately 60 barges is available along 1,950 feet of right bank. Fou company-owned fleetling boats are based here.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Dock Code: 502 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 181 PWD: 133
Name: **ITAPCO-Parkersburg Terminal Dock.**
Location: Mile 180.8, left bank, Ohio River, Vienna. Datum: NPE
Operator: ITAPCO-Parkersburg Terminal, Inc.
Owner: ITAPCO-Parkersburg Terminal, Inc.
Address: 1711 Grand Central Avenue. Phone: 304/295-9494
Town: Vienna State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.318333
Total Berthing Space (feet): | | Longitude (decimal): -81.55639
Remarks: Five 6-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 47,600 barrels.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42801 Dock Code: 301 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 183 PWD: 132
 Name: **Dover Parkersburg Co. Dock.**
 Location: Mile 182.6, left bank, Ohio River, Parkersburg. Datum: NPE
 Operator: Not operated.
 Owner: Dover Parkersburg Co.
 Address: Phone: 304/485-4573
 Town: Parkersburg State: WV County: Wood
 Railway Connection: Seven surface tracks serve warehouse at rear; connect with CSX Rail Transport.
 Purpose: Not used.
 Depth Alongside (feet): 15 | | Latitude (decimal): 39.293056
 Total Berthing Space (feet): 200 | | Longitude (decimal): -81.56222
 Remarks: Wharf formerly was used for unloading steel pipe. Building at rear with 409,000 square feet of dry storage area is used as a storage warehouse.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42798 Dock Code: 422 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 184 PWD: 130
 Name: **Dravo Basic Materials Co., Parkersburg Dock.**
 Location: Mile 183.8, left bank, Ohio River, Parkersburg. Datum: NPE
 Operator: Dravo Basic Materials Co., Inc., a Dravo Co. and Criss Concrete Co.
 Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
 Address: 21 12th Street. Phone: 304/785-5481
 Town: Parkersburg State: WV County: Wood
 Railway Connection: None.
 Purpose: Receipt of sand, gravel, and limestone; mooring company-owned floating equipment.
 Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 39.275556
 Total Berthing Space (feet): 390 | 125 | 233 Longitude (decimal): -81.56194
 Remarks: Dravo Basic Materials Co., Inc.: Dispatch office and approximately 2 acres of open storage area are located at rear.□Criss Concrete Co.: Open storage area with capacity for 10,000 and ready-mix concrete plant are located at rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42797 Dock Code: 222 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 184 PWD: 131
Name: **Pennzoil Products Co., Parkersburg Terminal Dock.**
Location: Mile 183.5, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: Not operated.
Owner: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Address: Phone: 304/342-8161
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.2825
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.56167
Remarks: Terminal formerly was used for receipt of gasoline. One 6-inch pipeline extending from wharf to 2 steel storage tanks at rear, total capacity 28,600 barrels, was not in use at time of survey.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42797 Dock Code: 025 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 185 PWD: 129
Name: **City of Parkersburg, Point Park Dock.**
Location: Mile 184.5, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: City of Parkersburg.
Owner: City of Parkersburg.
Address: 215 First Street Phone: 304/428-1130
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Mooring vessels; landing for harbor excursion vessel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.266667
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.56694
Remarks: City of Parkersburg Point Park is located at rear. Rubble's Sternwheeler provides tours to Blennerhassett Island.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42796 Dock Code: 220 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 191 PWD: 121
Name: **General Electric Plastics, Washington Dock.**
Location: Mile 191.4, left bank, Ohio River, Washington, approximately 1.5 miles below Blennerhasset Island. Datum: NPE
Operator: General Electric Plastics and E. I. du Pont de Nemours & Co.
Owner: General Electric Plastics.
Address: Phone: 304/863-7302
Town: Washington State: WV County: Wood
Railway Connection: Two surface tracks serve plant at rear, connect with CSX Rail Transport.
Purpose: Receipt of styrene, butadiene, and methanol.
Depth Alongside (feet): 18 | | Latitude (decimal): 39
Total Berthing Space (feet): 240 | | Longitude (decimal): -82
Remarks: General Electric Plastics: One 6-inch pipeline extends from wharf to four styrene storage tanks at rear, total capacity 1,850,000 gallons and one 6-inch pipeline extends from wharf to four butadiene storage tanks at rear, total capacity 1,590,000 gallons. E. I. du Pont de Nemours & Co.: One 8-inch pipeline extends from wharf to two methanol storage tanks at Washington Works plant, total capacity 3,700,000 gallons.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42789 Dock Code: 602 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 220 PWD: 120
Name: **Dravo Basic Materials Co., Ravenswood Yard Dock.**
Location: Mile 220.3, left bank, Ohio River, Ravenswood. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 105 Sycamore Street. Phone: 304/273-2600
Town: Ravenswood State: WV County: Jackson
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.948056
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.76611
Remarks: Approximately 12 acres of open storage area with capacity for 45,000 tons of material is located at rear.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42760 Dock Code: 502 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 227 PWD: 119
Name: **Ravenswood Aluminum Corp. Dock.**
Location: Mile 226.9, left bank, Ohio River, approximately 6.2 miles below Ravenswood. Datum: NPE
Operator: Ravenswood Aluminum Corp.
Owner: Ravenswood Aluminum Corp.
Address: Phone: 304/273-6679
Town: Ravenswood State: WV County: Jackson
Railway Connection: Plant trackage connects with CSX Rail Transport.
Purpose: Receipt of alumina.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.94
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.83167
Remarks: Two alumina storage silos at rear have total capacity for approximately 4,000 tons. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42754 Dock Code: 002 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 235 PWD: 117
Name: **Jesco Corp, Letart Dock.**
Location: Mile 235.4, left bank, Ohio River, Letart. Datum: NPE
Operator: Jesco Corp.
Owner: Jesco Corp.
Address: Phone: 304/895-3611
Town: Letart State: WV County: Mason
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.889444
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.93056
Remarks: Sand and gravel pit is located on opposite side of State Highway 33. Open storage area with capacity for 15,000 tons of material is located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42745 Dock Code: 402 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 236 PWD: 116
Name: **Carl Kelly Paving, Letart Dock.**
Location: Mile 235.8, left bank, Ohio River, Letart. Datum: NPE
Operator: Carl Kelly Paving, Inc.
Owner: Carl Kelly Paving, Inc.
Address: Phone: 304/895-3301
Town: Letart State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.896111
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.93222
Remarks: Asphalt plant, sand and gravel pit, and open storage area with capacity for 10,000 tons of limestone are located on opposite side of State Highway 33.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42745 Dock Code: 802 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42739 Dock Code: 402 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417
Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42739 Dock Code: 402 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 241 PWD: 115
Name: **Foote Mineral Co., Grahams Station Dock.**
Location: Mile 241.0, left bank, Ohio River, Graham Station. Datum: NPE
Operator: Not operated.
Owner: Foote Mineral Co.
Address: Phone: 614/446-1516
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.961111
Total Berthing Space (feet): | | Longitude (decimal): -81.91861
Remarks: Facility was formerly used for shipment of ferrosilicon alloys. Truck-loading hopper located at rear was not in use at time of survey.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42739 Dock Code: 502 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42739 Dock Code: 402 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 243 PWD: 110
Name: **Appalachian Power Co., Mountaineer Plant Coal Unloading Dock.**
Location: Mile 243.0, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39
Total Berthing Space (feet): 3650 | | Longitude (decimal): -82
Remarks: Open storage area at plant in rear has capacity for 1,500,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 20 empty barges below.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42737 Dock Code: 602 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 243 PWD: 111
Name: **Appalachian Power Co., Mountaineer Plant Fuel Oil Dock.**
Location: Mile 242.9, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.983056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.93361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 71,400 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42737 Dock Code: 602 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 253 PWD: 109
Name: **Raven Hocking Coal Corp., Clifton Tipple Dock.**
Location: Mile 252.6, left bank, Ohio River, Clifton. Datum: NPE
Operator: Raven Hocking Coal Corp.
Owner: Raven Hocking Coal Corp.
Address: Phone: 304/773-5531
Town: Clifton State: WV County: Mason
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.979722
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.07444
Remarks: Two storage silos at rear have capacity for 700 tons of coal.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42726 Dock Code: 702 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 257 PWD: 108
Name: **American Electric Power Co., River Transportation Division Mooring**
Location: Mile 256.8, left bank, Ohio River, Lakin. Datum: NPE
Operator: American Electric Power Co.
Owner: American Electric Power Co.
Address: 644 River View Road. Phone: 304/675-6300x4
Town: Lakin State: WV County: Mason
Railway Connection: None.
Purpose: Mooring company-owned towboats and barges for repair; mooring company barges for fleeting;
mooring floating drydocks.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.951944
Total Berthing Space (feet): 2550 | | Longitude (decimal): -82.09972
Remarks: One 2,000-, and one 1,200-ton floating drydocks are moored at wharf. Wharf barges ranging in size
from 175 by 26 to 195 by 35 feet are equipped with outlets for supplying fresh water, oxygen,
compressed air, and Approximately 1,200 feet of natural bank is used for fleeting company-owned
barges. Fleeting area has capacity for approximately 52 barges.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42724 Dock Code: 002 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 261 PWD: 107
Name: **Pantasote Co. Dock.**
Location: Mile 260.5, left bank, Ohio River, York Station. Datum: NPE
Operator: Not operated.
Owner: Pantasote Co.
Address: Phone: 304/675-2288
Town: York Station State: WV County: Mason
Railway Connection: One surface track serving plant in rear and connecting with CSX Rail Transport was not in
use at time of survey.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.906944
Total Berthing Space (feet): 450 | | Longitude (decimal): -82.12667
Remarks: Facility formerly was used for receipt of vinyl chloride. One 6-inch pipeline extending from wharf to one
480,000-gallon steel storage sphere was not in use at time of survey.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42720 Dock Code: 502 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 264 PWD: 105
Name: **G & C Towing, Fleet Mooring.**
Location: Mile 264.4, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: G & C Towing, Inc.
Owner: G & C Towing, Inc.
Address: Phone:
Town: Point Pleasant State: WV County: Mason
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.855278
Total Berthing Space (feet): 2238 | | Longitude (decimal): -82.13667
Remarks: Two fleetling areas are approximately 250 feet apart and have capacity for mooring a total of approximately 60 barges.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42717 Dock Code: 0-

Port: **Huntington**
Waterway: **Ohio River** Mile: 264 PWD: 106
Name: **Point Pleasant Marine Ways Dock.**
Location: Mile 263.6, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Owner: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Address: Phone: 304/675-4904
Town: Point Pleasant State: WV County: Mason
Railway Connection: Six surface tracks serving facility in rear connect with CSX Rail Transport.
Purpose: Mooring barges and towboats for repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.865
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.13611
Remarks: One 800-ton marine railway is located at upper side. Wharf is equipped with outlets for supplying fresh water, compressed air, and electricity.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42717 Dock Code: 302 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 265 PWD: 104
Name: **Hartley Marine Corp. Dock.**
Location: Mile 265.4, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: Hartley Marine Corp.
Owner: Hartley Marine Corp.
Address: Foot of 2nd Street. Phone: 304/675-201-
Town: Point Pleasant State: WV County: Mason
Railway Connection: None.
Purpose: Loading midstream fueling barge; fueling towboats.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.841389
Total Berthing Space (feet): 490 | | Longitude (decimal): -82.14028
Remarks: Company-owned midstream fueling barge and two supply barges are based here. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42715 Dock Code: 502 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 267 PWD: 22
Name: **Kanawha River Towing Landing.**
Location: Mile 266.8, left bank, Ohio River, Henderson. Datum: NPE
Operator: Kanawha River Towing, Inc.
Owner: Kanawha River Towing, Inc.
Address: Phone: 304/675-4545
Town: Henderson State: WV County: Mason
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 30 | | Latitude (decimal): 38.823889
Total Berthing Space (feet): | | Longitude (decimal): -82.155
Remarks: Above-waterline repairs are made to company-owned equipment. Fleeting area has capacity for mooring approximately 250 barges and extends one mile along both sides of the Ohio River.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42714 Dock Code: 202 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 281 PWD: 21
Name: **The Goodyear Tire & Rubber Co., Point Pleasant Polyester Plant Doc**
Location: Mile 280.7, left bank, Ohio River, Apple Grove. Datum: NPE
Operator: The Goodyear Tire & Rubber Co.
Owner: The Goodyear Tire & Rubber Co.
Address: State Route 2 Phone: 304/576-4551
Town: Apple Grove State: WV County: Mason
Railway Connection: Plant trackage connects with CSX Rail Transport.
Purpose: Receipt of ethylene glycol. Occasional receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.660556
Total Berthing Space (feet): | | Longitude (decimal): -82.1825
Remarks: One 6-inch pipeline extends from wharf to 2 ethylene glycol storage tanks at rear, total capacity 1,500,000 gallons and one 6-inch pipeline extends from wharf to one 47,000-barrel fuel oil storage tank.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42700 Dock Code: 301 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 304 PWD: 17
Name: **Huntington Asphalt Corp. Dock.**
Location: Mile 304.1, left bank, Ohio River, 3.3 miles above Huntington. Datum: NPE
Operator: Huntington Asphalt Corp.
Owner: Huntington Asphalt Corp.
Address: Phone: 304/525-3600
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Receipt of limestone, sand, gravel, and salt.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 38.4325
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.37111
Remarks: Facility has capacity for mooring 12 barges. Asphalt plant and approximately 9 acres of open storage area with capacity for 10,000 tons of salt and 25,000 tons of sand, gravel or limestone are located at rear.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 469 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 307 PWD: 16
 Name: **Ohio River Terminals Co., Huntington Terminal Dock.**
 Location: Mile 306.5, left bank, Ohio River, Huntington. Datum: NPE
 Operator: Ohio River Terminals Co.
 Owner: Ohio River Co.
 Address: Foot of 25th Street. Phone: 304/523-6461
 Town: Huntington State: WV County: Cabell
 Railway Connection: Twenty-six surface tracks in rear, total capacity 300 cars; connect with CSX Rail Transport.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.434444
 Total Berthing Space (feet): 3000 | | Longitude (decimal): -82.41306
 Remarks: Facility has capacity for mooring approximately 40 empty barges above and 40 loaded barges below. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 374 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 308 PWD: 13
 Name: **City of Huntington, Harris Riverfront Park Wharf.**
 Location: Mile 308.2, left bank, Ohio River, Huntington. Datum: NPE
 Operator: City of Huntington.
 Owner: City of Huntington.
 Address: Phone:
 Town: Huntington State: WV County: Wayne
 Railway Connection: None.
 Purpose: Mooring vessels; landing for harbor excursion vessel 'West Virginia Belle.'
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.425
 Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.4425
 Remarks: City of Huntington Harris Riverfront Park is located at rear. Two launching ramps for recreational vessels are located at upper side. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 300 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 308 PWD: 15
Name: **Exxon Co., USA, Huntington Terminal Dock.**
Location: Mile 307.6, left bank, Ohio River, Huntington. Datum: NPE
Operator: Not operated.
Owner: Exxon Co., USA.
Address: Phone: 304/347-1059
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 38.431944
Total Berthing Space (feet): | | Longitude (decimal): -82.4275
Remarks: Four 8-inch pipelines extending from wharf to 8 steel storage tanks at rear, total capacity 52,400 barrels were not in use at time of survey. Terminal, for sale at time of survey, formerly was used for receipt o
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 335 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 308 PWD: 14
Name: **Steel of West Virginia, Huntington Works Dock.**
Location: Mile 307.7, left bank, Ohio River, Huntington. Datum: NPE
Operator: Steel of West Virginia.
Owner: Steel of West Virginia.
Address: Phone: 304/696-8200
Town: Huntington State: WV County: Cabell
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Receipt and shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.426944
Total Berthing Space (feet): 220 | | Longitude (decimal): -82.43472
Remarks: A steel manufacturing plant is located at rear. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 370 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 309 PWD: 12
 Name: **Huntington Coal Transportation Corp., River Terminal Dock.**
 Location: Mile 309.0, left bank, Ohio River, Huntington. Datum: NPE
 Operator: Huntington Coal Transportation Corp.
 Owner: Huntington Coal Transportation Corp..
 Address: Phone: 304/523-3238
 Town: Huntington State: WV County: Cabell
 Railway Connection: Twelve surface storage tracks in rear, total capacity 150 cars, connect with CSX Rail Transport.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 10 | | Latitude (decimal): 38.421944
 Total Berthing Space (feet): 780 | | Longitude (decimal): -82.45611
 Remarks: Wharf has capacity for mooring 10 empty barges above and 10 loaded barges below.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 283 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 310 PWD: 11
 Name: **Century Oils Dock.**
 Location: Mile 310.4, left bank, Ohio River, Huntington. Datum: NPE
 Operator: Century Oils, Inc.
 Owner: Century Oils, Inc.
 Address: 120 13th Street Phone: 304/523-3716
 Town: Huntington State: WV County: Cabell
 Railway Connection: None.
 Purpose: Receipt of lubricating oils.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.416389
 Total Berthing Space (feet): | | Longitude (decimal): -82.48083
 Remarks: One 6-inch pipeline extends from wharf to 9 steel storage tanks at rear, total capacity 51,800 barrels.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 252 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 311 PWD: 10
Name: **Pennzoil Products Co., Huntington Terminal Dock.**
Location: Mile 310.8, Huntington. Datum: NPE
Operator: Not operated.
Owner: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Address: Virginia Avenue Phone: 304/429-4201
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.41444
Total Berthing Space (feet): | | Longitude (decimal): -82.48694
Remarks: One 10-inch pipeline extending to 2 steel storage tanks at rear, total capacity 30,950 barrels, was not in use at time of survey.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 220 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 314 PWD: 9
Name: **Crouse Corp., Huntington Fleet Mooring.**
Location: Mile 313.5, left bank, Ohio River, Huntington. Datum: NPE
Operator: Crouse Corp.
Owner: Crouse Corp.
Address: Phone:
Town: Huntington State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.400833
Total Berthing Space (feet): 1170 | | Longitude (decimal): -82.53361
Remarks: Fleeting area has capacity for mooring 30 barges arranged in six tiers, each 5 barges wide.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 0-

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 315 PWD: 8
 Name: **Electric Fuels Corp., Ceredo River Dock.**
 Location: Mile 314.6, left bank, Ohio River, Ceredo. Datum: NPE
 Operator: Electric Fuels Corp.
 Owner: Electric Fuels Corp.
 Address: River and Main Street Phone: 304/453-1336
 Town: Ceredo State: WV County: Wayne
 Railway Connection: Fourteen surface tracks in rear, total capacity 300 cars, connect with Norfolk Southern Railway Company and CSX Rail Transport.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.399167
 Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.55306
 Remarks: Adjacent fleeting area at natural bank has capacity for mooring approximately 100 barges extending over approximately one mile of river frontage.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 088 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 316 PWD: 4
 Name: **Ashland Petroleum Co., Kenova Fueling Dock.**
 Location: Mile 315.9, left bank, Ohio River, Kenova. Datum: NPE
 Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
 Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
 Address: 23d Street & River. Phone: 304/453-3331
 Town: Kenova State: WV County: Wayne
 Railway Connection: None.
 Purpose: Fueling towboats and company-owned vessels.
 Depth Alongside (feet): 25 | | Latitude (decimal): 38.405
 Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.57778
 Remarks: One 3- and one 1-inch pipelines extend from storage tanks at rear of Ref. No. 2. Cells are in line with Ref. No. 5, providing a total of 1,200 feet of continuous berthing space.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 026 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 316 PWD: 2
Name: **Ashland Petroleum Co., Kenova Terminal Dock.**
Location: Mile 316.3, left bank, Ohio River, Kenova Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River. Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of petroleum products.
Depth Alongside (feet): 27 | | Latitude (decimal): 38.408056
Total Berthing Space (feet): 1028 | | Longitude (decimal): -82.585
Remarks: One 12-, three 10-, and two 8-inch pipelines extend from 6 steel storage tanks at rear, total capacity 600,000 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 019 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 316 PWD: 3
Name: **Coal Terminals, Transfer Terminal, Kenova Dock.**
Location: Mile 316.1, left bank, Ohio River, Kenova. Datum: NPE
Operator: Coal Terminals, Inc.
Owner: Coal Terminals, Inc.
Address: Phone: 304/453-3271
Town: Kenova State: WV County: Wayne
Railway Connection: Four surface tracks in rear, total capacity 113 cars; connect with Norfolk Southern Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.4075
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58194
Remarks: Open storage area at rear has capacity for 13,000 tons of coal. Wharf has capacity for mooring 14 empty barges above and 18 loaded barges below.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 032 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 317 PWD: 1
 Name: **The Ohio River Co., Kenova Terminal Dock.**
 Location: Mile 316.7, left bank, Ohio River, Kenova. Datum: NPE
 Operator: The Ohio River Co.
 Owner: The Ohio River Co.
 Address: 23d & Beech St. Phone: 304/453-1385
 Town: Kenova State: WV County: Wayne
 Railway Connection: Ten surface tracks in rear, total capacity 250 cars; connect with Norfolk Southern Railway.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 26 | | Latitude (decimal): 38.410833
 Total Berthing Space (feet): 1300 | | Longitude (decimal): -82.58944
 Remarks: Wharf has capacity for mooring 18 empty barges above and 50 loaded barges below.□
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code: 012 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 40 PWD: 196
 Name: **S. H. Bell Co., State Line Terminal Wharf.**
 Location: Mile 40.0, right bank, Ohio River, East Liverpool. Datum: NPE
 Operator: S. H. Bell Co.
 Owner: S. H. Bell Co.
 Address: 2217 Michigan Avenue. Phone: 216/385-5083
 Town: East Liverpool State: OH County: Columbiana
 Railway Connection: One platform-level track serves one warehouse, one loading platform, and undertrack pit and loading conveyor at terminal in rear, connects with Consolidated Rail Corp.
 Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
 Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.639167
 Total Berthing Space (feet): 1400 | | Longitude (decimal): -80.51917
 Remarks: Terminal straddles the Ohio - Pennsylvania boundary. At time of survey, plans called for extending wharf by embedding 2 stacked barges in bank below dolphins. Approximately 100 acres of concrete- and asphalt-pa area, 24 steel frame, metal-covered, concrete and timber-walled warehouse buildings and a total of 451,000 square feet of storage area, and 3 processing plants are located at rear. Fleeting area at lower end has capabarges in 2 tiers, each 3 barges wide.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Dock Code: 001 Huntington District

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
 Waterway: **Ohio River** Mile: 41 PWD: 197
 Name: **J & T Towing Landing.**
 Location: Mile 41.1, right bank, Ohio River, East Liverpool. Datum: NPE
 Operator: J & T Towing, Inc.
 Owner: J & T Towing, Inc.
 Address: Foot of Walter Street Phone: 412/378-2070
 Town: East Liverpool State: OH County: Columbiana
 Railway Connection: None.
 Purpose: Mooring company-owned towboats for performing maintenance and handling supplies; occasional mooring of barge for cleaning and repair; mooring barges for fleetings.
 Depth Alongside (feet): 12 | 7 - 12 | Latitude (decimal): 40.633611
 Total Berthing Space (feet): 275 | 65 | Longitude (decimal): -80.53889
 Remarks: Two towboats are based at wharf which serves as headquarters for fleetings operations: Congo Terminal Fleet, Ref. No. 190, Loaded Fleet, Ref. No. 199, and Empty Fleet, moored to 4 steel spar barges located at Mile capacity 20 barges in 4 tiers, each 5 barges wide.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Dock Code: 901 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 41 PWD: 199
 Name: **J & T Towing Loaded Fleet Mooring.**
 Location: Mile 41.4, right bank, Ohio River, East Liverpool. Datum: NPE
 Operator: J & T Towing, Inc.
 Owner: Columbiana County Port Authority.
 Address: 1250 St. George Street Phone: 412/378-2070
 Town: East Liverpool State: OH County: Columbiana
 Railway Connection: One surface track serves plants at rear, connects with Consolidated Rail Corp.
 Purpose: Mooring barges for fleetings.
 Depth Alongside (feet): 14 | | Latitude (decimal): 40.631389
 Total Berthing Space (feet): 800 | | Longitude (decimal): -80.54417
 Remarks: East Liverpool plant of Waste Technology Industries, division of Von Roll USA, is located at rear of bulkhead. Columbiana County Port Authority plant and office buildings are located at rear. Fleet has capacity arranged in 4 tiers, each 4 barges wide.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Dock Code: 601 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 41 PWD: 198
 Name: **S. H. Bell Co., Little England Terminal Wharf.**
 Location: Mile 41.2, right bank, Ohio River, East Liverpool. Datum: NPE
 Operator: S. H. Bell Co.
 Owner: S. H. Bell Co.
 Address: Foot of Walter Street. Phone: 216/385-5083
 Town: East Liverpool State: OH County: Columbiana
 Railway Connection: None.
 Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
 Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.633056
 Total Berthing Space (feet): 650 | | Longitude (decimal): -80.53972
 Remarks: Approximately 6 acres of concrete-paved open storage area and 2 steel frame, metal-covered, timber-walled warehouse buildings with a total of 65,000 square feet of storage area located at rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43941 Dock Code: 001 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 42 PWD: 194
 Name: **Congo River Terminal, Chester Wharf.**
 Location: Mile 42.2, left bank, Ohio River, approximately 0.5 mile above Jennings Randolph Highway Bridge, Newell. Datum: NPE
 Operator: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
 Owner: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
 Address: 1100 Collins Memorial Drive Phone: 304/387-3021
 Town: Chester State: WV County: Hancock
 Railway Connection: None.
 Purpose: Receipt and shipment of coal, coke, ores, fertilizers, light aggregate and miscellaneous bulk materials. (See Remarks.)
 Depth Alongside (feet): 15 | | Latitude (decimal): 40.622222
 Total Berthing Space (feet): 500 | | Longitude (decimal): -80.55306
 Remarks: Among commodities handled are bauxite, iron pellets, magnesite, diammonium phosphate fertilizer, urea, and mulch. At time of survey, plans called for construction of a receiving hopper on apron serving a 24-inch extending to 3 acres of paved and 4 acres of unpaved open storage area at rear, 2 warehouse buildings, one fiberglass- and shingle-covered over concrete walls, capacity 6,000-tons, and one brick and tile with concretetons, and dry-mix concrete plant are located at rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43938 Dock Code: 802 Huntington District

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
 Waterway: **Ohio River** Mile: 42 PWD: 200
 Name: **D. W. Dickey & Son, Concrete Plant Wharf.**
 Location: Mile 42.3, right bank, Ohio River, approximately 0.3 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
 Operator: D. W. Dickey & Son, Inc.
 Owner: D. W. Dickey & Son, Inc.
 Address: 700 River Road Phone: 216/385-7930
 Town: East Liverpool State: OH County: Columbiana
 Railway Connection: None.
 Purpose: Receipt of sand, gravel, and dry bulk fertilizer.
 Depth Alongside (feet): 9 | | Latitude (decimal): 40.624722
 Total Berthing Space (feet): 300 | | Longitude (decimal): -80.55944
 Remarks: Three concrete-walled bins with capacity for 3,500 tons of sand and 3,500 tons of gravel are located on apron. Fertilizer is transported by truck to 7 timber-roofed warehouse buildings with concrete walls and to 45,000 tons, located at 1080 Elmwood Street, one mile at rear.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Dock Code: 001 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 42 PWD: 195
 Name: **Wind-Chester Roofing Products Dock.**
 Location: Mile 42.0, left bank, Ohio River, approximately 0.7 mile above Jennings Randolph Highway Bridge, Newell. Datum: NPE
 Operator: Congo Corp., a subsidiary of Orran Hofstetter, Inc. and Ashland Petroleum Co., a divi
 Owner: Wind-Chester Roofing Products, Inc.
 Address: Collins Memorial Drive Phone: 304/387-3221
 Town: Chester State: WV County: Hancock
 Railway Connection: None.
 Purpose: Transient mooring of barges.
 Depth Alongside (feet): 14 | | Latitude (decimal): 40.623333
 Total Berthing Space (feet): 200 | | Longitude (decimal): -80.55111
 Remarks: One 8-inch asphalt pipeline extends from wharf to one 14,000-barrel storage tank in roofing material plant at rear, all unused at time of survey. □
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Dock Code: 002 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 43 PWD: 204
Name: **Billson Towing Co. Repair Mooring**
Location: Mile 43.1, right bank, Ohio River, approximately 0.5 mile below Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: Billson Towing Co., Inc., and A. M. & O. Towing, Inc.
Owner: A. M. & O. Towing, Inc., and East Liverpool River-Rail Terminal, Inc.
Address: 253 River Road Phone: 216/385-4048
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Mooring company-owned towboats, floating cranes, and floating drydock; occasionally mooring towboats and barges for cleaning and repair; mooring barges for fleetings.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.616111
Total Berthing Space (feet): 1350 | | Longitude (decimal): -80.57139
Remarks: Berthing space includes 200 feet of river bank at upper side owned by East Liverpool River-Rail Terminal, Inc., extending to the lower breasting dolphin of their wharf, Ref. No. 203. Billson Towing Co., Inc., mo floating drydock at mooring. A brick office building is located at rear. A. M. & O. Towing, Inc., fleets up to 15 barges in 5 tiers, each 3 barges wide at mooring.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43938 Dock Code: 011 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 43 PWD: 201
Name: **D. W. Dickey & Son, Grain Dock.**
Location: Mile 42.5, right bank, Ohio River, approximately 0.1 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 600 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.622778
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.5625
Remarks: Two storage silos have total capacity for of 160,000 bushels of grain.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Dock Code: 001 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 43 PWD: 205
Name: **D. W. Dickey & Son, River Rail Terminal Dock**
Location: Mile 43.2, right bank, Ohio River, approximately 0.6 mile below Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 100 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serves undertrack pit at rear, connects with Consolidated Rail Corp.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.615556
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.57278
Remarks: Rail-dumping pit and 2 hoppers in warehouse building serve conveyor system. Warehouse building of timber construction over low concrete walls has capacity for 12,000 tons of fertilizer.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Dock Code: 801 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 43 PWD: 203
Name: **East Liverpool River-Rail Terminal Wharf.**
Location: Mile 42.9, right bank, Ohio River, approximately 0.3 mile below Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: East Liverpool River-Rail Terminal, Inc.
Owner: East Liverpool River-Rail Terminal, Inc.
Address: 395 River Road Phone: 216/386-4747
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of lube oils, styrene monomer, acetone, and other miscellaneous bulk liquids.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.617778
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.56806
Remarks: One 8- and six 6-inch pipelines extend from wharf to 11 steel storage tanks in rear: ☐ Product Pipelines Tanks No. Size No. Total Capacity ☐ Blend oil 1 8-inch 1 30,000 bbls. ☐ Diluent oils 2 6 4 35,000 bbls. Styrene monomer 1 6 3 1,050,000 gal. ☐ Acetone 1 6 1 630,000 gal. ☐ Sunflower Seed Oil 1 6 1 840,000 gal. Molasses* 1 6 1 630,000 gal. ☐ *Molasses pipeline was out of service at time of survey. One 2-inch steam and one 1-inch compressed air lines serve wharf.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43938 Dock Code: 221 Huntington District

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
 Waterway: **Ohio River** Mile: 43 PWD: 202
 Name: **ITAPCO-Ohio Terminal Wharf**
 Location: Mile 42.8, right bank, Ohio River, approximately 0.2 mile below Jennings Randolph Highway Bridge, East L Datum: NPE
 Operator: ITAPCO-Ohio Terminal, Inc.
 Owner: ITAPCO-Ohio Terminal, Inc.
 Address: 425 River Road Phone: 216/385-5424
 Town: East Liverpool State: OH County: Columbiana
 Railway Connection: None.
 Purpose: Receipt of liquid fertilizer, waste oil, solvents, and other miscellaneous bulk liquids.
 Depth Alongside (feet): 12 | | Latitude (decimal): 40.618889
 Total Berthing Space (feet): 315 | | Longitude (decimal): -80.56667
 Remarks: Four 6-inch fertilizer pipelines extend from wharf to 4 steel storage tanks in rear, total capacity 5,838,000 gallons, and six 6-inch miscellaneous product pipelines extend to 6 steel storage tanks, total capacity
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43938 Dock Code: 211 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 44 PWD: 208
 Name: **Parsons Coal Co., Lower Wharf.**
 Location: Mile 44.0, right bank, Ohio River, approximately 0.4 mile above Newell Highway Bridge, East Liverpool. Datum: NPE
 Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
 Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
 Address: First and Jackson Streets Phone: 216/385-5700
 Town: East Liverpool State: OH County: Columbiana
 Railway Connection: One surface track serving plant in rear connects with Consolidated Rail Corp.
 Purpose: Receipt and shipment of steel coils and pipe; receipt of coal, gypsum rock, manganese, and other miscellaneous ores.
 Depth Alongside (feet): 10 | | Latitude (decimal): 40.615833
 Total Berthing Space (feet): 400 | | Longitude (decimal): -80.58361
 Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. An open storage area with capacity for 3,000 tons of gypsum rock, one steel frame, metal-covered warehouse building with concrete wa 5,600 tons of fluorspar, one brick warehouse building with capacity for 4,500 tons of ores and ilmenite, and 2 truck-loading hoppers, one served by an electric bucket elevator from the ore warehouse, are located in rebrick and one steel frame, metal-covered warehouse buildings at the rear of the Upper Wharf, Ref. No. 206, have capacity for a total of 2,800 tons of ferroalloys. Up to 12 barges moor below wharf at abank belonging to the City of East Liverpool, in 6 tiers, each 2 barges wide.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Dock Code: 001 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 44 PWD: 206
Name: **Parsons Coal Co., Upper Wharf.**
Location: Mile 43.7, right bank, Ohio River, approximately 0.7 mile above Newell Highway Datum: NPE
Bridge, East Liverpool.
Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Address: First and Washington Streets Phone: 216/385-5700
Town: East Liverpool State: OH County: Columbiana
Railway Connection: Two surface tracks serving plant in rear connect with Consolidated Rail Corp.
Purpose: Receipt of coal, methanol, mineral spirits, and petroleum derivatives.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.614167
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.57917
Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. One 8- and five 6-inch pipelines extend from wharf to 6 steel storage tanks in rear: Product Pipelines Tanks
□ No. Size No. Total Capacity □ Methanol (1 8-inch (2 6 3
1,890,000 gal. □ Polypropylene glycol 1 6 1 630,000 gal. □ Mineral spirits 1 6 1
420,000 gal. Light oils 1 6 1 5,000 bbl. □ Open storage area is located at rear has capacity for 3,000 tons of coal. Two warehouse buildings at rear are described under Lower Wharf, Ref. N

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43937 Dock Code: 001 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 44 PWD: 207
Name: **Seaforth Mineral & Ore Co., East Liverpool Wharf.**
Location: Mile 43.9, right bank, Ohio River, approximately 0.5 mile above Newell Highway Datum: NPE
Bridge, East Liverpool.
Operator: Seaforth Mineral & Ore Co., Inc.
Owner: Seaforth Mineral & Ore Co., Inc., and City of East Liverpool
Address: First and Market Streets Phone: 216/386-8200
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serving loading spout at plant in rear connects with Consolidated Rail Corp.
Purpose: Receipt of fluorspar, dry bulk boric acid, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615
Total Berthing Space (feet): 746 | | Longitude (decimal): -80.58222
Remarks: Upper and lower sides are contiguous with Parsons Coal Co., Inc., Upper and Lower Wharves, Ref. Nos. 206 and 208, respectively. Four elevated hoppers serve electric bucket elevators extending to 8 truck-loading time of survey, plans called for construction of an undertrack rail pit. Approximately 5 acres of concrete-paved open storage area and 3 brick warehouse buildings with a total area of 120,000 square feet are located

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43937 Dock Code: 101 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 47 PWD: 193
 Name: **Congo River Terminal, Newell Wharf.**
 Location: Mile 46.5, left bank, Ohio River, Newell. Datum: NPE
 Operator: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
 Owner: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
 Address: State Highway 2 Phone: 304/387-3021
 Town: Newell State: WV County: Hancock
 Railway Connection: None.
 Purpose: Receipt of bauxite and magnesite; occasional receipt of coal; occasional receipt and shipment of sand.
 Depth Alongside (feet): 15 | | Latitude (decimal): 40.616111
 Total Berthing Space (feet): 400 | | Longitude (decimal): -80.62611
 Remarks: At time of survey, plans called for construction of a steel sheet pile bulkhead with solid fill between the faces of the cell and pier extension. Approximately 40 acres of open storage area are located at rear.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Dock Code: 502 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 47 PWD: 191
 Name: **DTC Environmental Services Wharf**
 Location: Mile 47.3, left bank, Ohio River, Congo. Datum: NPE
 Operator: DTC Environmental Services, Inc.
 Owner: DTC Environmental Services, Inc.
 Address: 2500 Congo Road Phone: 304/387-3860
 Town: Congo State: WV County: Hancock
 Railway Connection: None.
 Purpose: Mooring tank barges for cleaning and repair. See Remarks.
 Depth Alongside (feet): 9 | | Latitude (decimal): 40.608333
 Total Berthing Space (feet): 300 | | Longitude (decimal): -80.63694
 Remarks: Facility, under construction at time of survey, was designed for handling dry bulk materials and cleaning hopper barges as well as tank barges. Plans called for mooring a 195- by 35-foot spar barge above wharf t 400 feet of berthing space for 4 barges in 2 tiers, each 2 barges wide. One 3-inch steam line serves wharf. Approximately 3 acres of open storage area are located at rear.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43933 Dock Code: 702 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 47 PWD: 192
Name: **Quaker State Oil Refining Corp., Congo Plant Dock.**
Location: Mile 46.8, left bank, Ohio River, Newell. Datum: NPE
Operator: Quaker State Oil Refining Corp.
Owner: Quaker State Oil Refining Corp.
Address: State Highway 2 Phone: 304/387-3530
Town: Newell State: WV County: Hancock
Railway Connection: Four surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 40.613889
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.63083
Remarks: One 8-inch crude oil pipeline extends from wharf to 3 steel storage tanks, total capacity 150,000 barrels, and one 10-, three 8-, and two 6-inch petroleum product pipelines extend from wharf to 93 steel storage t capacity 784,000 barrels. One 4-inch steam, one 1-inch compressed air, and one 2-inch slop lines serve wharf.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Dock Code: 202 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 48 PWD: 190
Name: **J. & T. River Services, Congo Terminal Wharf.**
Location: Mile 47.7, left bank, Ohio River, Congo. Datum: NPE
Operator: J & T Towing, Inc.
Owner: J & T Towing, Inc.
Address: State Highway 2 Phone: 412/378-2070
Town: Congo State: WV County: Hancock
Railway Connection: None.
Purpose: Occasional mooring of barges for fleetling.
Depth Alongside (feet): 6 | | Latitude (decimal): 40.603611
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.64056
Remarks: J. & T. River Services, Inc., affiliate of J & T Towing, Inc., equipped facility for handling dry bulk materials. Approximately 7 1/2 acres of open storage area and 2 steel frame, metal covered warehouse buildin floors, total capacity 6,000 square feet, are located at rear, all unused at time of survey. Congo Terminal Fleet, with capacity for 12 barges in 3 tiers, each 4 barges wide, is operated from J & T Towing Landing, Re
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43933 Dock Code: 202 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 48 PWD: 209
 Name: **Mississippi Lime Co. Wharf.**
 Location: Mile 48.4, right bank, Ohio River, Wellsville. Datum: NPE
 Operator: Wellsville Terminals Co.
 Owner: Mississippi Lime Co.
 Address: 18th Street Phone: 216/532-1527
 Town: Wellsville State: OH County: Columbiana
 Railway Connection: One surface track at rear connects with Consolidated Rail Corporation.
 Purpose: Receipt of lime; mooring barges for fleeting.
 Depth Alongside (feet): 10 | | Latitude (decimal): 40.598611
 Total Berthing Space (feet): 175 | | Longitude (decimal): -80.6525
 Remarks: Wharf is contiguous with Wellsville Terminals Co. Wharf, Ref. No. 210. Four steel storage silos at rear, each equipped with a truck-loading spout, have a total capacity for 1,800 tons.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43932 Dock Code: 601 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 49 PWD: 211
 Name: **Ashland Petroleum Co., Wellsville Wharf.**
 Location: Mile 49.1, right bank, Ohio River, Wellsville. Datum: NPE
 Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
 Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
 Address: 21st & Nevada Streets Phone: 216/532-1273
 Town: Wellsville State: OH County: Columbiana
 Railway Connection: None.
 Purpose: Receipt and shipment of asphalt; shipment of blending oil; receipt of fuel oil.
 Depth Alongside (feet): 30 | 9 | Latitude (decimal): 40.593056
 Total Berthing Space (feet): 440 | 315 | Longitude (decimal): -80.66083
 Remarks: One barge can moor at rear of breasting dolphin on lower side of wharf. One steel barge permanently moored 400 feet below wharf as a towboat landing provides 100 feet of berthing space in 9-foot water depth. On one 6-inch pipelines extend from wharf to 5 steel storage tanks at rear: ☐ Product
 Pipeline Tanks ☐ Size No. Total Capacity (inch) (barrels) ☐ Fuel oil 10
 3 259,000 ☐ Asphalt 8 1 54,000 Crude light oil 6 1 15,000 ☐ One 4-inch steam line serves wharf.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43931 Dock Code: 901 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 49 PWD: 210
Name: **Wellsville Terminals Co. Wharf.**
Location: Mile 48.5, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Terminals Co.
Owner: Wellsville Terminals Co.
Address: 18th Street Phone: 216/532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear connects with Consolidated Rail Corporation.
Purpose: Receipt of coal, ferroalloys, steel, and fiberboard; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598056
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.65333
Remarks: Wharf is contiguous with Mississippi Lime Co. Wharf, Ref. No. 209. Approximately 3 acres of open storage area and 3 warehouse buildings, 2 steel frame, metal covered over concrete walls and one of timber construc concrete block walls, total area 70,800 square feet, are located at rear. Fleeting areas fronting City of Wellsville Wastewater Treatment Plant below wharf and bank on opposite side of Ref. No. 209, have capacity for 2 tiers, each 3 barges wide.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43932 Dock Code: 611 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 50 PWD: 212
Name: **Wellsville Storage & Transport Wharf.**
Location: Mile 49.7, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Storage & Transport, Inc.
Owner: Wellsville Storage & Transport, Inc.
Address: 25th Street Phone: 216/532-1597
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of blending oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.584722
Total Berthing Space (feet): 425 | | Longitude (decimal): -80.66833
Remarks: One 12- and one 8-inch pipelines extend from wharf to 2 steel storage tanks at rear, total capacity 119,000 barrels. One 4-inch steam and one 3-inch compressed air lines serve wharf.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43932 Dock Code: 611 Huntington District

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
 Waterway: **Ohio River** Mile: 51 PWD: 189
 Name: **Standard-LaFarge Corp., Iron City Plant Wharf.**
 Location: Mile 51.0, left bank, Ohio River, Arroyo. Datum: NPE
 Operator: Standard-LaFarge Corp.
 Owner: Standard-LaFarge Corp.
 Address: State Highway 2 Phone: 304/387-1807
 Town: Arroyo State: WV County: Hancock
 Railway Connection: None.
 Purpose: Shipment of sand and gravel.
 Depth Alongside (feet): 15 | | Latitude (decimal): 40.569444
 Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.6575
 Remarks: Gravel pit at rear is excavated by diesel, mobile dragline crane serving belt conveyor to stacker at surge storage yard. Belt conveyor in tunnel under surge yard extends to processing plant serving 4 stackers in yard, capacity 90,000 tons of sand and 60,000 tons of gravel and aggregate. Wash plant serves 30-inch, electric belt conveyor system extending to 4 truck-loading hoppers as well as barge loader. Up to 10 barges moored in 5 tiers, each 2 barges wide.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43934 Dock Code: 202 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 53 PWD: 213
 Name: **Ohio Edison Co., W. H. Sammis Steam Generating Plant, Unloading Dock**
 Location: Mile 53.1, right bank, Ohio River, approximately 1.0 mile above New Cumberland Locks and Dam, Stratton. Datum: NPE
 Operator: Ohio Edison Co.
 Owner: Ohio Edison Co.
 Address: State Highway 7 Phone: 614/537-1546
 Town: Stratton State: OH County: Jefferson
 Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
 Purpose: Receipt of coal.
 Depth Alongside (feet): 22 | 22 | Latitude (decimal): 40.541944
 Total Berthing Space (feet): 1638 | 1700 | Longitude (decimal): -80.63639
 Remarks: One permanently-moored steel barge with 70- by 2-foot steel catwalk approach, moored to 2 cells between the loading towers as a towboat landing, provides 69 feet of berthing. One 5-ton mast-and-boom derrick with traveling electric hoist is located on a cell near the landing for handling equipment. Two 7-cubic yard diesel front-end loaders and 5 diesel crawler bulldozers serve storage area's ground-level hoppers serving electric belt conveyor extending to power plant. Storage area has capacity for 900,000 tons of coal. Upper row and lower rows have capacity for 36 barges in 6 tiers, each 6 barges wide, and 32 barges respectively.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43928 Dock Code: 101 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 58 PWD: 214
 Name: **Ohio Edison Co., Toronto Steam Generating Plant, Unloading Dock.**
 Location: Mile 57.5, right bank, Ohio River, Toronto. Datum: NPE
 Operator: Ohio Edison Co.
 Owner: Ohio Edison Co.
 Address: N. Fourth Street Phone: 614/537-1506
 Town: Toronto State: OH County: Jefferson
 Railway Connection: Two surface tracks serve plant in rear; connect with Consolidated Rail Corp.
 Purpose: Receipt of coal.
 Depth Alongside (feet): 20 | | Latitude (decimal): 40.485
 Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.60361
 Remarks: Open storage area at rear for coal received by truck has capacity for 150,000 tons.□
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43923 Dock Code: 501 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 62 PWD: 188
 Name: **Weirton Steel, Browns Island Coke Landings**
 Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
 Operator: Weirton Steel Corp.
 Owner: Weirton Steel Corp.
 Address: 400 Three Springs Drive Phone: 304/797-3908
 Town: Weirton State: WV County: Hancock
 Railway Connection: None.
 Purpose: Receipt of coke.
 Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
 Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778
 Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.□
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Dock Code: 802 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 62 PWD: 185
 Name: **Weirton Steel, Coal Unloading Dock.**
 Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
 Operator: Weirton Steel Corp.
 Owner: Weirton Steel Corp.
 Address: 400 Three Springs Drive Phone: 304/797-3908
 Town: Weirton State: WV County: Hancock
 Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
 Purpose: Mooring barges. (See Remarks.)
 Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
 Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444
 Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43918 Dock Code: 802 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 62 PWD: 186
 Name: **Weirton Steel, Dock No. 1.**
 Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
 Operator: Weirton Steel Corp.
 Owner: Weirton Steel Corp.
 Address: 400 Three Springs Drive Phone: 304/797-3908
 Town: Weirton State: WV County: Hancock
 Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
 Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
 Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
 Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417
 Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43918 Dock Code: 802 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444
Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Dock Code: 802 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444
Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Dock Code: 802 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 63 PWD: 183
 Name: **International Mill Service, Weirton Wharf.**
 Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
 Operator: L & J Bowers, Inc.
 Owner: L & J Bowers, Inc.
 Address: Phone: 614/264-7731
 Town: Weirton State: WV County: Hancock
 Railway Connection: None.
 Purpose: Shipment of slag and coke.
 Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
 Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778
 Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43918 Dock Code: 802 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 65 PWD: 182
 Name: **Petroleum Fuel and Terminal Co., Pittsburgh/ Weirton Division Whar**
 Location: Mile 64.9, left bank, Ohio River, Weirton Datum: NPE
 Operator: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.
 Owner: Weirton Steel Corp.
 Address: 3048 Birch Drive Phone: 304/748-1190
 Town: Weirton State: WV County: Brooke
 Railway Connection: None.
 Purpose: Receipt and shipment of petroleum products; fueling towboats.
 Depth Alongside (feet): 8 | | Latitude (decimal): 40.392222
 Total Berthing Space (feet): 440 | | Longitude (decimal): -80.63056
 Remarks: Four 8-inch pipelines, one with 4- and 2-inch fueling connections, extend from wharf to 5 steel storage tanks at rear, total capacity 685,000 barrels. One 3- and two 2-inch steam lines serve wharf.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43916 Dock Code: 102 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 66 PWD: 215
Name: **L & J Bowers River Terminal Wharf.**
Location: Mile 65.6, right bank, Ohio River, approximately 0.7 mile above Steubenville-Weirton Highway Bridge, Ste Datum: NPE
Operator: L & J Bowers Inc.
Owner: L & J Bowers Inc.
Address: Labelle Avenue Extension Phone: 614/264-7731
Town: Steubenville State: OH County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of scrap metal, slag, steel coils, and machinery; mooring barges for cleaning.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.383611
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.62472
Remarks: Four acres of open storage area are located at rear. Two steel frame, metal-covered warehouses with concrete floors, each with 7,200 square feet of storage space for steel coils, are located on Labelle Avenue Ex mile below wharf, and on Two Ridges Road in Wintersville, 7 miles from wharf. Two 6-ton LP-gas forklift trucks serve each warehouse. Wharf has capacity for mooring 10 barges, 2 wide.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Dock Code: 401 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 66 PWD: 216
Name: **Steubenville Marina Wharf.**
Location: Mile 66.2, right bank, Ohio River, 500 feet above Steubenville-Weirton Highway Bridge, Steubenville. Datum: NPE
Operator: City of Steubenville
Owner: U.S. Government
Address: Labelle Avenue Extension Phone: 614/283-6133
Town: Steubenville State: OH County: Jefferson
Railway Connection: None.
Purpose: Landing for cruise and excursion boats; transient mooring of vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.379722
Total Berthing Space (feet): 1250 | | Longitude (decimal): -80.61611
Remarks: Wharf is former landward wall of Corps of Engineers Lock No. 10. A launching ramp for recreational craft is located below wharf. Steubenville Marina Park is located at rear.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43914 Dock Code: 806 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 66 PWD: 181
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park General C**
Location: Mile 65.7, left bank, Ohio River, approximately 0.6 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous dry bulk materials and steel; receipt of lime; mooring barges for cleaning and fleetings.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 40.385278
Total Berthing Space (feet): 2045 | | Longitude (decimal): -80.62111
Remarks: Facilities at rear include two limestone storage silos with total capacity for 1,000 tons, two storage warehouses with a total of 30,000 square feet of storage area and open storage area with capacity for 75,000. Wharf is adjacent to Ref. No. 180, providing 3,310 feet of continuous berthing space, including fleetings for up to 25 barges in 8 tiers, each 3 to 4 barges wide.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43915 Dock Code: 002 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 66 PWD: 180
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park Slag Wharf**
Location: Mile 66.0, left bank, Ohio River, approximately 0.3 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of crushed slag; mooring coal conveyor barge; mooring barges for fleetings.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 1265 | | Longitude (decimal): -80.61806
Remarks: Two processing plants served by receiving hoppers and truck dumping pits, one for coal and one for slag and stone, are located in rear. At time of survey, plans called for adding 3 permanently-moored barges below of bank used for fleetings. Wharf is adjacent to Ref. No. 181, providing 3,310 feet of berthing. Fleetings is described under Ref. No. 181.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43915 Dock Code: 002 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 69 PWD: 176
 Name: **Koppers Industries, Follansbee Plant Dock.**
 Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
 Operator: Koppers Industries, Inc.
 Owner: Koppers Industries, Inc.
 Address: State Highway 2 Phone: 304/527-0110
 Town: Follansbee State: WV County: Brooke
 Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
 Purpose: Receipt and shipment of coal tar and refined chemical oil; shipment of sodium cresylate and carbon black oil.
 Depth Alongside (feet): 18 | | Latitude (decimal): 40.339722
 Total Berthing Space (feet): 480 | | Longitude (decimal): -80.60806
 Remarks: One 6-inch pipeline extends from wharf to 100 steel coal tar and refined chemical oil storage tanks, total capacity 25,000,000 gallons, 3 steel sodium cresylate storage tanks, total capacity 500,000 gallons, and gallon carbon black oil storage tank. One 4-inch steam line serves wharf.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Dock Code: 702 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 69 PWD: 177
 Name: **Koppers Industries, Follansbee Plant Water Intake Mooring.**
 Location: Mile 69.1, left bank, Ohio River, Follansbee. Datum: NPE
 Operator: Wheeling-Pittsburgh Steel Corp.
 Owner: Wheeling-Pittsburgh Steel Corp. and Koppers Industries, Inc.
 Address: State Highway 2 Phone: 614/283-5459
 Town: Follansbee State: WV County: Brooke
 Railway Connection: None.
 Purpose: Mooring barges.
 Depth Alongside (feet): 20 | | Latitude (decimal): 40.341667
 Total Berthing Space (feet): 800 | | Longitude (decimal): -80.60806
 Remarks: Koppers Industries, Inc. owns the lower 2 dolphins. Their plant water intake pump is located on a steel barge with an adjustable gangway approach moored between the dolphins.. Wheeling-Pittsburgh Steel Corp. own dolphins and icebreaker cells, and moors up to 12 barges in 4 tiers, each 3 barges wide alongside the 6 cells.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Dock Code: 902 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 69 PWD: 175
Name: **Koppers Industries, Follansbee Plant, Enamel Wharf.**
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Shipment of pipeline enamel in steel drums.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339167
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.60778
Remarks: Open storage area at rear has capacity for 3,000 tons of drummed pipeline enamel. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Dock Code: 702 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 69 PWD: 178
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Coal Dock.**
Location: Mile 68.9, left bank, Ohio River, approximately 800 feet below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves steel mill at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal; shipment of coke breeze and ammonium sulfate.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.344444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.60861
Remarks: Four coal storage bins, total capacity 2,400 tons, one 200-ton capacity surge bin, and open storage area for 250,000 tons of coal are all located at rear. Traveling bridge cranes rehandle coal to coke plant at rear moored at dolphins below bulkhead, in 4 tiers, each 6 barges wide.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Dock Code: 102 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 69 PWD: 179
 Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Light Oil Dock.**
 Location: Mile 68.8, left bank, Ohio River, below LaBelle Railroad Bridge, Follansbee. Datum: NPE
 Operator: Wheeling-Pittsburgh Steel Corp.
 Owner: Wheeling-Pittsburgh Steel Corp.
 Address: State Highway 2 Phone: 614/283-5459
 Town: Follansbee State: WV County: Brooke
 Railway Connection: One surface track serves facility at rear; connects with Consolidated Rail Corp.
 Purpose: Shipment of light oil.
 Depth Alongside (feet): 21 | | Latitude (decimal): 40.346667
 Total Berthing Space (feet): 465 | | Longitude (decimal): -80.60944
 Remarks: Permanently-moored barge extends outward from upper dolphin when row is used for mooring hopper barges, allowing tank barges to load at outer end, otherwise, barge is moored along row. One 6-inch pipeline extend dolphin from 5 steel storage tanks at rear, total capacity 10,700 barrels. Plant water intake pump is located on steel barge moored below lowest dolphin. Up to 15 barges can be moored in 3 tiers, each 5 barges wide, No. 178.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43912 Dock Code: 102 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 70 PWD: 174
 Name: **Arrow Terminals, Follansbee Wharf.**
 Location: Mile 70.0, left bank, Ohio River, Follansbee. Datum: NPE
 Operator: Arrow Terminals.
 Owner: Arrow Terminals.
 Address: State Highway 2. Phone: 412/643-8850
 Town: Follansbee State: WV County: Brooke
 Railway Connection: None.
 Purpose: Receipt of iron ore fines; occasional shipment of steel coils.
 Depth Alongside (feet): 12 | | Latitude (decimal): 40.330833
 Total Berthing Space (feet): 2020 | | Longitude (decimal): -80.60083
 Remarks: Iron ore is transported by truck to the Wheeling-Pittsburgh Steel Corp. Follansbee Sinter Plant above wharf. Steel coils are shipped for the Wheeling-Nisshin, Inc., plant below wharf. Up to 20 loaded and 20 emp are moored at breasting dolphins above and below spar barges, in 8 tiers, each 5 barges wide.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43911 Dock Code: 002 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 71 PWD: 173
Name: **American Industries & Resources Corp., Follansbee Wharf.**
Location: Mile 71.0, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Not operated.
Owner: American Industries & Resources Corp.
Address: State Highway 2. Phone: 614/264-7704
Town: Follansbee State: WV County: Brooke
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.316111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.5975
Remarks: Wharf, formerly used for shipment of coal, is maintained on a standby basis. Open storage area at rear has capacity for 6,000 tons of coal. Up to 6 barges can moor at wharf.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43910 Dock Code: 102 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 71 PWD: 217
Name: **Wheeling-Pittsburgh Steel Corp., Steubenville South Plant Wharf an**
Location: Mile 70.9, right bank, Ohio River, above Norfolk Southern (Wheeling & Lake Erie) Datum: NPE
Railway Bridge, Mingo J
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 7 Phone: 614/283-5459
Town: Mingo Junction State: OH County: Jefferson
Railway Connection: One surface track at rear of wharf joins additional plant trackage; connects with Wheeling & Lake Erie Railway and Consolidated Rail Corp.
Purpose: Shipment of steel coils and sheets; mooring barges.
Depth Alongside (feet): 15 | | 15 Latitude (decimal): 40.318056
Total Berthing Space (feet): 265 | | 1500 Longitude (decimal): -80.60167
Remarks: Mooring area has capacity for 10 barges arranged in 5 tiers, 2 abreast.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43910 Dock Code: 101 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 74 PWD: 172
 Name: **Wellsburg Wharf Park Landing.**
 Location: Mile 74.2, left bank, Ohio River, Wellsburg. Datum: NPE
 Operator: City of Wellsburg.
 Owner: City of Wellsburg.
 Address: Main Street Phone: 304/737-2104
 Town: Wellsburg State: WV County: Brooke
 Railway Connection: None.
 Purpose: Landing for cruise and excursion boats.
 Depth Alongside (feet): 10 - 12 | 10 - 12 | Latitude (decimal): 40.268333
 Total Berthing Space (feet): 95 | 270 | Longitude (decimal): -80.615
 Remarks: Small excursion boats moor at float. Large cruise boats moor at landing ramp. At time of survey, plans called for installation of shore moorings for large vessels. Wellsburg Wharf Park is located at rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43906 Dock Code: 012 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 77 PWD: 218
 Name: **Ohio Power Co., Cardinal Steam Generating Plant Wharves.**
 Location: Mile 76.9, right bank, Ohio River, Brilliant. Datum: NPE
 Operator: Cardinal Operating Co.
 Owner: Ohio Power Co., a subsidiary of American Electric Power System Co., and Buckeye Power, Inc.
 Address: State Highway 7 Phone: 614/598-4164 es
 Town: Brilliant State: OH County: Jefferson
 Railway Connection: One surface track serves undertrack pit at plant in rear; connects with Wheeling & Lake Erie Railway.
 Purpose: Receipt of coal and fuel oil.
 Depth Alongside (feet): 23 | 23 | 23 Latitude (decimal): 40.247778
 Total Berthing Space (feet): 2400 | 2000 | 150 Longitude (decimal): -80.65056
 Remarks: One 2-ton, electric and pneumatic mast-and-boom derrick with 12-foot boom for handling hose at fuel oil berth. Three concrete silos, total capacity 31,000 tons, and open storage area for 1,100,000 tons of coal ar One 8-inch pipeline extends from fuel oil berth to 4 steel storage tanks in rear, total capacity 52,400 barrels. Up to 60 barges can moor at wharves, in 15 tiers, each 4 barges wide, divided between 2 coal unloading 700-foot row of 4 cellular breasting dolphins approximately 0.4 mile below lower unloading tower.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43904 Dock Code: 801 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 78 PWD: 171
Name: **Jack McCoy & Assoc. Wharf.**
Location: Mile 77.5, left bank, Ohio River, Wellsburg. Datum: NPE
Operator: Jack McCoy & Assoc.
Owner: Jack McCoy & Assoc.
Address: State Highway 2 Phone: 304/527-1110
Town: Wellsburg State: WV County: Brooke
Railway Connection: None.
Purpose: Occasional receipt of sand and gravel.
Depth Alongside (feet): 35 | | Latitude (decimal): 40.238889
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.65306
Remarks: At time of survey, plans called for raising height of wharf by stacking barges on top of existing barges.
One-half acre of open storage area for sand and gravel is located at rear.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43903 Dock Code: 702 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 80 PWD: 170
Name: **Windsor Coal Co. Mine Wharf.**
Location: Mile 80.1, left bank, Ohio River, Buffalo Township. Datum: NPE
Operator: Windsor Coal Co., subsidiary of American Electric Power Co.
Owner: Windsor Coal Co., subsidiary of American Electric Power Co.
Address: State Highway 2 Phone: 304/336-7203
Town: Buffalo Twnship State: WV County: Brooke
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 40.203611
Total Berthing Space (feet): 1580 | | Longitude (decimal): -80.66333
Remarks: Facility has capacity for mooring up to 40 barges in 8 tiers, each 5 barges wide. Usually 21 barges are handled in 7 tiers, each 3 barges wide. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43901 Dock Code: 002 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 81 PWD: 219
Name: **American Industries & Resources Corp., Rayland Facility Wharf.**
Location: Mile 80.9, right bank, Ohio River, Rayland. Datum: NPE
Operator: American Industries & Resources Corp.
Owner: American Industries & Resources Corp.
Address: Old Route 7 Phone: 614/264-7704
Town: Rayland State: OH County: Jefferson
Railway Connection: One surface track in plant at rear connects with Wheeling & Lake Erie Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.191944
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.675
Remarks: At time of survey, plans called for installation of a steel sheet pile bulkhead with breasting at upper end of terminal for receipt of coal utilizing a crane and conveyor system with a planned unloading rate 1,0 receiving hopper in open storage area serves 48- and 36-inch electric belt conveyor system, extending to 4 stacking towers served by reclaiming tunnel, storage capacity 30,000 tons of coal. Additional open storage capacity for 50,000 tons of coal. Reclaiming system serves truckloading hopper as well as barge loader. Up to 16 barges in 4 tiers, each 4 barges wide can moor at wharf.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43900 Dock Code: 101 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 81 PWD: 220
Name: **Tri-State Asphalt Corp. Wharf.**
Location: Mile 81.1, right bank, Ohio River, Rayland. Datum: NPE
Operator: Tri-State Asphalt Corp.
Owner: Tri-State Asphalt Corp.
Address: Old Route 7 Phone: 614/859-2131
Town: Rayland State: OH County: Jefferson
Railway Connection: None.
Purpose: Receipt of liquid asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.189167
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.67806
Remarks: Two 8-inch pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 140,000 barrels.□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43899 Dock Code: 901 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 82 PWD: 169
 Name: **Rayle Coal Co., Mine No. 1 Wharf.**
 Location: Mile 82.2, left bank, Ohio River, approximately 1.8 miles above Pike Island Locks and Dam. Datum: NPE
 Operator: Rayle Coal Co., a subsidiary of Marietta Coal Co.
 Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
 Address: State Highway 2 Phone: 614/695-2197
 Town: Pike Island State: WV County: Ohio
 Railway Connection: None.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 18 | | Latitude (decimal): 40.175
 Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.685
 Remarks: Concrete surge silo has capacity for 12,000 tons of coal; truck-loading hopper located at rear. □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43898 Dock Code: 802 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 83 PWD: 221
 Name: **Premier Concrete Products Wharf.**
 Location: Mile 82.8, right bank, Ohio River, Tiltonsville. Datum: NPE
 Operator: Premier Concrete Products, Inc.
 Owner: Premier Concrete Products, Inc.
 Address: 3d & Main Streets Phone: 614/859-2191
 Town: Tiltonsville State: OH County: Jefferson
 Railway Connection: None.
 Purpose: Receipt of sand and gravel.
 Depth Alongside (feet): 18 | | Latitude (decimal): 40.170278
 Total Berthing Space (feet): 800 | | Longitude (decimal): -80.69417
 Remarks: Open storage area at rear has capacity for 40,000 tons of sand and gravel. An additional 22 acres is available as needed on adjacent property. Ready-mix concrete and block plants are located at rear. Up to 4 b wharf.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43898 Dock Code: 201 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 83 PWD: 222
Name: **Wheeling-Pittsburgh Steel Corp., Yorkville Plant Dock.**
Location: Mile 83.4, right bank, Ohio River, approximately 0.8 mile above Pike Island Locks and Dam, Yorkville. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: 219 Public Road Phone: 614/859-6700
Town: Yorkville State: OH County: Jefferson
Railway Connection: One surface track at rear and additional tracks serving plant connect with Wheeling & Lake Erie Railway.
Purpose: Shipment of steel products.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.160833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.70056
Remarks: Steel products are loaded directly from trucks into barges. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43897 Dock Code: 601 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 85 PWD: 168
Name: **Westvaco Corp., Wheeling Wharf.**
Location: Mile 85.4, left bank, Ohio River, Wheeling. Datum: NPE
Operator: Not operated.
Owner: Westvaco Corp.
Address: Phone: 212/688-5000
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.133056
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.70444
Remarks: Two blanked 8-inch pipelines extend from wharf. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43895 Dock Code: 602 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 86 PWD: 167
Name: **Tri-State Petroleum Corp., Warwood Terminal Dock.**
Location: Mile 85.8, left bank, Ohio River, Wheeling. Datum: NPE
Operator: Tri-State Petroleum Corp.
Owner: Tri-State Petroleum Corp.
Address: North 27th Street & Vance Avenue Phone: 304/277-3232
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.128611
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.70444
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 28,500 barrels. □
Year of Last Survey: 1992 Corps of Eng'rs Waterway Code: 43895 Dock Code: 202 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 87 PWD: 223
Name: **Wheeling & Lake Erie Railway Co., Martins Ferry Wharf.**
Location: Mile 86.9, right bank, Ohio River, Martins Ferry. Datum: NPE
Operator: Not operated.
Owner: Wheeling & Lake Erie Railway Co.
Address: Ohio Valley Pike Phone: 800/837-7245 ex
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 40.112778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.7075
Remarks: Wharf formerly was used for shipment of coal. □ □
Year of Last Survey: 1992 Corps of Eng'rs Waterway Code: 43894 Dock Code: 101 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 88 PWD: 166
Name: **The Uno-Ven Co., Wheeling Wharf.**
Location: Mile 88.2, left bank, Ohio River, approximately 0.8 mile above Wheeling Terminal Datum: NPE
Railway Bridge, Wheelin
Operator: Not operated.
Owner: The Uno-Ven Co.
Address: 439 River Road Phone: 304/277-2610
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.094444
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.71222
Remarks: Three 6-inch pipelines extend from wharf: one to one 11,300-barrel steel hydraulic oil storage tank at rear, maintained on standby basis, and two to 10 tanks planned for removal at time of survey.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Dock Code: 702 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 89 PWD: 226
Name: **Ayers River Landing**
Location: Mile 88.9, right bank, Ohio River, 700 feet above Wheeling Terminal Railway Bridge, Datum: NPE
Martins Ferry.
Operator: Thomas E. Ayers
Owner: Thomas E. Ayers
Address: 1st and Fayette Streets. Phone: 614/633-2958
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose: Occasional receipt of sand and gravel.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.090833
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.725
Remarks: Approximately 5 acres of open storage area are located at rear. Three derelict barges and the ruins of a coal-loading conveyor are located 600 feet above landing.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Dock Code: 301 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 89 PWD: 225
Name: **Tri-State Petroleum Corp., Martins Ferry Wharf**
Location: Mile 88.6, right bank, Ohio River, approximately 0.4 mile above Wheeling Terminal Datum: NPE
Railway Bridge, Martin
Operator: Tri-State Petroleum Corp.
Owner: Tri-State Petroleum Corp.
Address: 1st and Hanover Streets. Phone: 304/277-3232
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Occasional receipt of miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.092778
Total Berthing Space (feet): 238 | | Longitude (decimal): -80.72028
Remarks: Approximately 2.7 acres of open storage area are located at rear. a deteriorated steel sheet pile bulkhead belonging to Thomas E. Ayers is in line and contiguous with the lower end.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Dock Code: 301 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 89 PWD: 224
Name: **Wheeling-Pittsburgh Steel Corp., Martins Ferry Plant Dock.**
Location: Mile 88.5, right bank, Ohio River, approximately 0.5 mile above Wheeling Terminal Datum: NPE
Railway Bridge, Martin
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: Foot of Hanover Street Phone: 304/234-7221
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track serves plant in rear; connects with Wheeling & Lake Erie Railway, CSX Rail Transport, and Consolidated Rail Corp.
Purpose: Shipment of steel sheets and steel coils.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.093889
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.71889
Remarks: Open storage area at rear has capacity for 10,000 tons of steel products.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Dock Code: 501 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 90 PWD: 165
 Name: **Wheeling Amphitheater Wharf.**
 Location: Mile 90.4, left bank, Ohio River, approximately 0.2 mile below 10th Street Wheeling Highway Bridge, Wheeling Datum: NPE
 Operator: City of Wheeling
 Owner: City of Wheeling
 Address: Foot of 12th Street Phone: 304/234-3731
 Town: Wheeling State: WV County: Ohio
 Railway Connection: None.
 Purpose: Landing for cruise and excursion boats.
 Depth Alongside (feet): 10 | | Latitude (decimal): 40.068611
 Total Berthing Space (feet): 400 | | Longitude (decimal): -80.72528
 Remarks: Amphitheater is located at rear of wharf, which is accessed from parking lot via 10-foot wide concrete stairway.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43891 Dock Code: 412 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 91 PWD: 163
 Name: **Contractors Supply Corp. Wharf.**
 Location: Mile 91.2, left bank, Ohio River, approximately 0.6 mile above Interstate Highway 470 Bridge, Wheeling Datum: NPE
 Operator: Contractors Supply Corp.
 Owner: Contractors Supply Corp.
 Address: 24th & Water Streets Phone: 304/232-1040
 Town: Wheeling State: WV County: Ohio
 Railway Connection: None.
 Purpose: Receipt of sand and gravel.
 Depth Alongside (feet): 12 | | Latitude (decimal): 40.057778
 Total Berthing Space (feet): 180 | | Longitude (decimal): -80.72806
 Remarks: Three bins on wharf have a total capacity for 2,000 tons of sand and gravel. Two-acre open storage area at rear has capacity for 10,000 tons of sand and gravel received by truck. Front-end loaders serve hopper serving 24-inch electric belt conveyor extending to receiving hopper on dry-mix concrete plant in rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43889 Dock Code: 802 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 91 PWD: 164
Name: **Lou's Landing**
Location: Mile 90.6, left bank, Ohio River, approximately 0.3 mile below 10th Street Wheeling Datum: NPE
Highway Bridge, Whee
Operator: Ohio Valley River Cruises, Inc.
Owner: Ohio Valley River Cruises, Inc.
Address: 1315 Water Street Phone: 304/233-1010
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Landing for passenger excursion boat; mooring excursion vessel 'Valley Voyager.'
Depth Alongside (feet): | 7 | Latitude (decimal): 40.066389
Total Berthing Space (feet): | 66 | Longitude (decimal): -80.72528
Remarks: Floating restaurant located on spud barges. 'Valley Voyager' moors bow-to lower side of lower barge.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43891 Dock Code: 402 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 92 PWD: 227
Name: **Belmont Marine Service, Dry Bulk Wharf**
Location: Mile 91.8, right bank, Ohio River, below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Belmont Marine Service, Inc.
Owner: J & C Towing Service, Inc.
Address: N. Guernsey Street. Phone: 614/676-4315
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Receipt and shipment of dry bulk fertilizer; shipment of coal, sand, and gravel; mooring barges for fleeting.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.048611
Total Berthing Space (feet): 635 | | Longitude (decimal): -80.73139
Remarks: At time of survey, plans called for replacing structure and barges with a part steel sheet pile, part concrete bulkhead with solid fill, 635 feet long and 13 feet high. Company trades cranes with affiliated J & 162. Approximately 8 acres of open storage area are located at rear. Fleeting is available at Mile 92.0 for 12 barges in 4 tiers, each 3 barges wide, moored to 2 permanently-moored barges, and at Mile 92.4 for 8 bar2 barges wide, moored to one grounded barge.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43889 Dock Code: 201 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 92 PWD: 228
 Name: **Cravat Coal Co., Loading Dock.**
 Location: Mile 92.2, right bank, Ohio River, approximately 0.4 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
 Operator: Cravat Coal Co.
 Owner: PPG Industries, Inc.
 Address: N. Guernsey Street. Phone: 614/676-6215
 Town: Bellaire State: OH County: Belmont
 Railway Connection: None.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 20 | | Latitude (decimal): 40.044167
 Total Berthing Space (feet): 440 | | Longitude (decimal): -80.73111
 Remarks: Open storage area at rear has capacity for approximately 10,000 tons of coal. □ □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43888 Dock Code: 701 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 92 PWD: 162
 Name: **J & C Towing Service, Cleaning Wharf and Landing**
 Location: Mile 91.8, left bank, Ohio River, below Interstate 470 Highway Bridge, Wheeling. Datum: NPE
 Operator: J & C Towing Service, Inc.
 Owner: J & C Towing Service, Inc.
 Address: 34th & Market Streets. Phone: 304/233-2710
 Town: Wheeling State: WV County: Ohio
 Railway Connection: None.
 Purpose: Mooring company-owned towboats; mooring barges for cleaning and fleetling.
 Depth Alongside (feet): 20 | | Latitude (decimal): 40.048611
 Total Berthing Space (feet): 500 | | Longitude (decimal): -80.72833
 Remarks: Three company-owned towboats are based here. Company trades cranes with affiliated Belmont Marine Service, Inc., Ref. No. 234. Fourteen acres of open storage area are located at rear. Fleetling is available at in 2 tiers, each 3 barges wide; at Mile 92.0 for 8 barges in 4 tiers, each 2 barges wide, moored to 3 grounded barges; and at Mile 92.3 for 15 barges in 5 tiers, each 3 barges wide, moored to 2 steel sheet pile, cellu
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43889 Dock Code: 202 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 93 PWD: 161
 Name: **Benwood Limestone Co. Wharf.**
 Location: Mile 93.3, left bank, Ohio River, Benwood. Datum: NPE
 Operator: Benwood Limestone Co., a subsidiary of James River Limestone Co., Inc.
 Owner: Benwood Limestone Co., a subsidiary of James River Limestone Co., Inc.
 Address: 2d & Marshall Streets Phone: 304/233-0050
 Town: Benwood State: WV County: Marshall
 Railway Connection: None.
 Purpose: Receipt of limestone chips and red crater rock.
 Depth Alongside (feet): 20 | | Latitude (decimal): 40.028611
 Total Berthing Space (feet): 480 | | Longitude (decimal): -80.73139
 Remarks: Open storage area at rear has capacity for 30,000 tons of limestone chips and 3,000 tons of red crater rock. One electric belt system in tunnel under storage area extends to crushing plant with 2 pulverized lime silos, total capacity 1,550 tons.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Dock Code: 702 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 93 PWD: 229
 Name: **Ohio River Sand and Gravel Co., Bellaire Wharf.**
 Location: Mile 92.5, right bank, Ohio River, approximately 0.7 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
 Operator: Not operated.
 Owner: Ohio River Sand and Gravel Co.
 Address: 5300 N. Guernsey Street. Phone: 304/233-1110
 Town: Bellaire State: OH County: Belmont
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 15 | | Latitude (decimal): 40.039444
 Total Berthing Space (feet): 300 | | Longitude (decimal): -80.73167
 Remarks: Formerly used for receipt of sand and gravel. Open storage area at rear has capacity for 100,000 tons, now delivered by truck. Tri-State Asphalt Corp. has an asphalt batch plant and A #1 Concrete, Inc., has a r at rear.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Dock Code: 701 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
Waterway: **Ohio River** Mile: 93 PWD: 230
Name: **R. & F. Coal Co., Bellaire Terminal Wharf.**
Location: Mile 92.8, right bank, Ohio River, approximately 1.0 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: R. & F. Coal Co.
Owner: R. & F. Coal Co.
Address: 53d & N. Guernsey Streets. Phone: 614/942-9258
Town: Bellaire State: OH County: Belmont
Railway Connection: One surface track serves undertrack pit; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.035
Total Berthing Space (feet): 2200 | | Longitude (decimal): -80.73278
Remarks: One concrete surge silo at rear has capacity for 16,000 tons of coal, and an open storage area has capacity for 22,000 tons of coal. A second truck-dumping pit serves a 42-inch electric belt conveyor system exte stacker in the open storage area. At time of survey, all coal was received by truck. Up to 25 loaded and 25 empty barges moor at wharf, in a total of 10 tiers, each 5 barges wide.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Dock Code: 201 Huntington District

Port: **Huntington**
Waterway: **Ohio River** Mile: 94 PWD: 234
Name: **Belmont Marine Service, Repair Wharf.**
Location: Mile 93.9, right bank, Ohio River, approximately 0.4 mile above Bellaire Highway Datum: NPE
Operator: Belmont Marine Service, Inc.
Owner: Belmont Marine Service, Inc.
Address: Foot of 41st Street Phone: 614/676-4315
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring company-owned floating equipment; mooring barges for fleetting.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.021389
Total Berthing Space (feet): 550 | | Longitude (decimal): -80.73806
Remarks: One 500-ton marine railway with 3-section cradle is located at south side of wharf. One shop building is located on spud barge. Three company-owned fleetting boats are based here. Company trades cranes with aff Towing, Inc., Ref. No. 162. Fleetting is available at Mile 93.3 for 15 barges in 5 tiers, each 3 barges wide, moored to 3 steel sheet pile, cellular dolphins along east bank of Boggs Island, above Rayle River Moorings
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Dock Code: 101 Huntington District

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
 Waterway: **Ohio River** Mile: 94 PWD: 160
 Name: **Consolidation Coal Co., Shoemaker Mine Loading Dock.**
 Location: Mile 93.7, left bank, Ohio River, Benwood. Datum: NPE
 Operator: Consolidation Coal Co.
 Owner: Consolidation Coal Co.
 Address: 4th Street Exit Phone: 304/243-4232
 Town: Benwood State: WV County: Marshall
 Railway Connection: None.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 21 | | Latitude (decimal): 40.022778
 Total Berthing Space (feet): 2700 | | Longitude (decimal): -80.73417
 Remarks: Concrete silo at rear has capacity for 7,500 tons of coal. Wharf has capacity for mooring 20 empty barges above and 20 loaded barges below loading tower, in 8 tiers, each 5 barges wide.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43887 Dock Code: 802 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 94 PWD: 232
 Name: **Marietta Coal Co. Wash Plant Wharf**
 Location: Mile 93.6, right bank, Ohio River, approximately 0.7 mile above Bellaire Highway Datum: NPE
 Bridge, Bellaire
 Operator: Marietta Coal Co. and Rayle Coal Co., a subsidiary of Marietta Coal Co.
 Owner: Marietta Coal Co.
 Address: Foot of 41st Street Phone: 614/676-7975
 Town: Bellaire State: OH County: Belmont
 Railway Connection: Two surface tracks serve terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
 Purpose: Shipment of coal; occasional receipt of miscellaneous dry bulk materials.
 Depth Alongside (feet): 11 | | Latitude (decimal): 40.024167
 Total Berthing Space (feet): 500 | | Longitude (decimal): -80.7375
 Remarks: Truck receiving pit serves a 42-inch electric belt conveyor system extending through wash plant to a radial stacker, which serves an open storage area with capacity for approximately 30,000 tons of washed coal. D unloaded to trucks. Up to 8 barges moor at wharf in 2 tiers, each 4 barges wide.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43887 Dock Code: 111 Huntington District

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
 Waterway: **Ohio River** Mile: 94 PWD: 231
 Name: **Rayle River Moorings.**
 Location: Mile 93.5, right bank, Ohio River, lower end of Boggs Island, approximately 0.8 mile above Bellaire High Datum: NPE
 Operator: Rayle Coal Co. and St. Jo Marine, Inc.
 Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
 Address: Foot of 41st Street Phone: 614/676-7975
 Town: Bellaire State: OH County: Belmont
 Railway Connection: Two surface tracks serve facility in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
 Purpose: Mooring barges; mooring company-owned towboats.
 Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.026111
 Total Berthing Space (feet): 1050 | 390 | 200 Longitude (decimal): -80.73806
 Remarks: Bulkhead is in line and contiguous with Marietta Coal Co. Wash Plant Wharf, Ref. No. 232. St. Jo Marine, Inc., has 2 fleeting boats based here. Fleet has capacity for 30 barges in basin, in 3 tiers, each 10 ba barges on Boggs Island above basin, in 6 tiers each 4 barges wide, and for 35 barges between miles 94.0 and 94.4 in 12 tiers, each 2 to 3 barges wide, moored to 4 grounded steel barges below the Belmont Marine Servicerrailway, Ref. No. 234, and along natural bank.
 Year of Last Survey: 1992 Corps of Engrns Waterway Code: 43887 Dock Code: 301 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 94 PWD: 233
 Name: **Rayle River Wharf.**
 Location: Mile 93.7, right bank, Ohio River, approximately 0.5 mile above Bellaire Highway Datum: NPE
 Operator: Rayle Coal Co., a subsidiary of Marietta Coal Co.
 Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
 Address: Foot of 41st Street Phone: 614/676-7975
 Town: Bellaire State: OH County: Belmont
 Railway Connection: Two surface tracks serve terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
 Purpose: Receipt of steel and miscellaneous dry bulk materials; shipment of coal.
 Depth Alongside (feet): 12 | | | Latitude (decimal): 40.0225
 Total Berthing Space (feet): 600 | | | Longitude (decimal): -80.7375
 Remarks: Open storage area at rear has capacity for approximately 120,000 tons of coal. Other commodities are unloaded to trucks.□
 Year of Last Survey: 1992 Corps of Engrns Waterway Code: 43887 Dock Code: 301 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Huntington**
 Waterway: **Ohio River** Mile: 95 PWD: 158
 Name: **Automatic Recycling, Benwood Dock.**
 Location: Mile 94.7, left bank, Ohio River, approximately 700 feet below CSX Rail Transport Bridge, Benwood. Datum: NPE
 Operator: Automatic Recycling, Inc.
 Owner: Automatic Recycling, Inc.
 Address: Benwood Industrial Park, 8th Street Phone: 304/232-5175
 Town: Benwood State: WV County: Marshall
 Railway Connection: One surface track serves industrial park at rear; connects with CSX Rail Transport.
 Purpose: Shipment of scrap steel; occasional receipt of steel coils.
 Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.008611
 Total Berthing Space (feet): 400 | | Longitude (decimal): -80.73806
 Remarks: Steel coils are occasionally received for Laclede Steel Co. Face of dock is in line with Ref. No. 159, providing 1,000 feet of continuous berthing. Open storage area at rear served by radial stacker has capacity scrap metal.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43886 Dock Code: 302 Huntington District

Port: **Huntington**
 Waterway: **Ohio River** Mile: 95 PWD: 159
 Name: **Mull Industries, Benwood Industrial Park Dock.**
 Location: Mile 94.6, left bank, Ohio River, below CSX Rail Transport Bridge, Benwood. Datum: NPE
 Operator: Not operated.
 Owner: Mull Industries, Inc.
 Address: 8th & McMechen Streets. Phone: 304/233-3369
 Town: Benwood State: WV County: Marshall
 Railway Connection: One surface track serves industrial park at rear; connects with CSX Rail Transport.
 Purpose: Not used.
 Depth Alongside (feet): 12 | | Latitude (decimal): 40.01
 Total Berthing Space (feet): 600 | | Longitude (decimal): -80.73806
 Remarks: Row of dolphins is in line with Ref. No. 158, providing 1,000 feet of continuous berthing space.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43886 Dock Code: 402 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Huntington**
Waterway: **Ohio River** Mile: 97 PWD: 157
Name: **Ohio - West Virginia Excavating Co. Dock**
Location: Mile 96.5, left bank, Ohio River, McMechen. Datum: NPE
Operator: Ohio - West Virginia Excavating Co.
Owner: Ohio - West Virginia Excavating Co.
Address: 16th Street & State Highway 2 Phone: 304/233-6505
Town: McMechen State: WV County: Marshall
Railway Connection: None.
Purpose: Receipt of sand and limestone.
Depth Alongside (feet): 2 | | Latitude (decimal): 39.981944
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.73528
Remarks: Four sand and limestone and one recycled asphalt hoppers serve electric belt system extending to asphalt batch plant at rear. Three acres of open storage area have capacity for 12,000 tons of materials.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43884 Dock Code: 502 Huntington District

Port: **Huntington**
Waterway: **Poca River** Mile: PWD: 100
Name: **Claxton Smith & Sons Concrete Co., Poca Dock.**
Location: Mile 0.1, right bank, Pocatalico River, Poca. Datum: NPE
Operator: Claxton Smith & Sons Concrete Co., Inc.
Owner: Claxton Smith & Sons Concrete Co., Inc.
Address: Phone: 304/755-5000
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.478056
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.81583
Remarks: Ready-mix concrete plant and approximately 5 acres of open storage area with capacity for 30,000 tons of material are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42339 Dock Code: 101 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 102 PWD: 235
Name: **Ohio Edison Co., R. E. Burger Power Plant, Unloading Dock.**
Location: Mile 102.2, right bank, Ohio River, Shadyside. Datum: NPE
Operator: Ohio Edison Co.
Owner: Ohio Edison Co.
Address: 57246 Ferry Landing Road Phone: 614/671-2907
Town: Shadyside State: OH County: Belmont
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.911111
Total Berthing Space (feet): 1560 | | Longitude (decimal): -80.75722
Remarks: Open storage area at rear is served by a 180-foot radial stacker and has capacity for 550,000 tons of coal. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43878 Dock Code: 901 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 103 PWD: 236
Name: **Ohio River Sand and Gravel Co., Dilles Bottom Plant Wharf.**
Location: Mile 103.3, right bank, Ohio River, Dilles Bottom. Datum: NPE
Operator: Ohio River Sand and Gravel Co.
Owner: Ohio River Sand and Gravel Co.
Address: Mead Township Road 533. Phone: 614/676-3090
Town: Dilles Bottom State: OH County: Belmont
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.911944
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.77389
Remarks: Gravel pit and open storage area with capacity for 100,000 tons of sand and gravel are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43877 Dock Code: 501 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 104 PWD: 237
Name: **The North American Coal Corp., Mine No. 3, Dock.**
Location: Mile 104.0, right bank, Ohio River, Dilles Bottom. Datum: NPE
Operator: Not operated.
Owner: The North American Coal Corp.
Address: 155 State Highway 7 Phone: 614/795-4346
Town: Dilles Bottom State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 23 | | Latitude (decimal): 39.917222
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.785
Remarks: -□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43877 Dock Code: 001 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 111 PWD: 238
Name: **Ohio Valley Transloading Co., Loading Dock.**
Location: Mile 110.6, right bank, Ohio River, Powhatan Point.. Datum: NPE
Operator: Ohio Valley Transloading Co.
Owner: American Sales Co.
Address: State Hwy 7. Phone: 614/795-4967
Town: Powhatan Point. State: OH County: Belmont
Railway Connection: One surface track serves undertrack pit in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of coal; receipt of limestone.
Depth Alongside (feet): 23 | 23 | Latitude (decimal): 39.852222
Total Berthing Space (feet): 1515 | 360 | Longitude (decimal): -80.81833
Remarks: Open storage area with capacity for 250,000 tons is served by a free fall stacker and electric belt conveyor system extending from rail car pit.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43870 Dock Code: 401 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 116 PWD: 239
Name: **Quarto Mining Co., Powhatan 4, Loading Dock.**
Location: Mile 115.6, right bank, Ohio River, Clarington. Datum: NPE
Operator: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Owner: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Address: 1029 Market Street Phone: 614/458-2016
Town: Clarington State: OH County: Monroe
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 21 | | Latitude (decimal): 39.788611
Total Berthing Space (feet): 1555 | | Longitude (decimal): -80.83972
Remarks: Open storage area at rear is served by a free fall stacker and has capacity for 300,000 tons of coal. ☐
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43865 Dock Code: 401 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 120 PWD: 240
Name: **Quarto Mining Co., Powhatan 7, Loading Dock.**
Location: Mile 120.2, right bank, Ohio River, Clarington. Datum: NPE
Operator: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Owner: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Address: State Highway 7. Phone: 614/458-2016
Town: Clarington State: OH County: Monroe
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 21 | | Latitude (decimal): 39.735556
Total Berthing Space (feet): 1570 | | Longitude (decimal): -80.84611
Remarks: At time of survey mine was closed. Open storage area at rear with capacity for 100,000 tons of coal was not in use. ☐
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43865 Dock Code: 701 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 123 PWD: 241
Name: **Ormet Corp., Upstream Wharf.**
Location: Mile 123.1, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7. Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Mooring barges for storage, maintenance, repair and fleet (See Remarks).
Depth Alongside (feet): 21 | | Latitude (decimal): 39.7025
Total Berthing Space (feet): 1120 | | Longitude (decimal): -80.83722
Remarks: Westbank Harbor Services, Inc. maintains fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at wharf
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Dock Code: 901 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 124 PWD: 242
Name: **Ormet Corp., Alumina Unloading Wharf.**
Location: Mile 123.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7 Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of alumina; mooring barges for fleet (See Remarks).
Depth Alongside (feet): 21 | | Latitude (decimal): 39.699722
Total Berthing Space (feet): 2500 | | Longitude (decimal): -80.84472
Remarks: Eight steel storage silos at plant in rear have total capacity for 37,000 tons of alumina. Westbank Harbor Services, Inc. performs towing and fleet services and maintains loaded fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at lower dolphins and a similar empty fleet at upper dolphins and at Ref. No. 241.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Dock Code: 901 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 125 PWD: 243
Name: **Dock Side Hannibal Terminal Dock.**
Location: Mile 124.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Marietta Industrial Enterprises, Inc.
Address: State Highway 7 Phone: 614/373-2252
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose: Receipt and shipment of petroleum coke, coal, and other miscellaneous bulk materials.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 39.692778
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -80.86333
Remarks: Barges breast on outside of crane barge(s).□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 43856 Dock Code: 801 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 143 PWD: 244
Name: **Shell Oil Co., New Matamoras Terminal Dock.**
Location: Mile 143.3, right bank, Ohio River, New Matamoras. Datum: NPE
Operator: Not operated.
Owner: R. & F. Coal Co., a subsidiary of Shell Oil Co.
Address: State Highway 7 Phone: 713/241-4748
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.510278
Total Berthing Space (feet): 90 | | Longitude (decimal): -81.07583
Remarks: Two 8-inch pipelines extending from wharf to 3 steel storage tanks at terminal in rear; total capacity 65,000 barrels, were not in use at time of survey. Terminal, formerly used for receipt of fuel oil and keros
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42837 Dock Code: 701 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 160 PWD: 245
Name: **The Ohio Oil Gathering Corp. Wharf.**
Location: Mile 159.8, right bank, Ohio River, Newport. Datum: NPE
Operator: The Ohio Oil Gathering Corp.
Owner: The Ohio Oil Gathering Corp.
Address: State Highway 7. Phone: 614/473-2711
Town: Newport State: OH County: Washington
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.376389
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.29056
Remarks: Two 8-inch pipelines extend from wharf to 4 steel storage tanks at terminal in rear; total capacity 155,000 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42821 Dock Code: 201 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 169 PWD: 246
Name: **Smith Concrete Co., Dock.**
Location: Mile 168.6, right bank, Ohio River, Reno. Datum: NPE
Operator: Smith Concrete Co.
Owner: Smith Concrete Co.
Address: Newport Pike Phone: 614/373-7441
Town: Reno State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of limestone and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.373056
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.40444
Remarks: Open storage area at rear has capacity for 70,000 tons of material.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42812 Dock Code: 201 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 172 PWD: 247
Name: **U.S. Army Corps of Engineers, Marietta Repair Station Wharf.**
Location: Mile 172.2, right bank, Ohio River, Marietta, (left bank Muskingum River at mouth). Datum: NPE
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 100 Post Street Phone: 614/373-3393
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Handling lock and dam apparatus for repair; handling construction materials machinery, supplies, and equipment; and mooring government-owned floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.410556
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.45556
Remarks: Repair shops for lock and dam equipment and open work area are located at rear.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42808 Dock Code: 801 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 173 PWD: 248
Name: **ITAPCO-Marietta Wharf.**
Location: Mile 173.1, right bank, Ohio River, Marietta. Datum: NPE
Operator: ITAPCO-Marietta Inc.
Owner: ITAPCO-Marietta Inc.
Address: Mile Run Road Phone: 614/373-4655
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of gasoline, kerosene, and fuel oil.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.401944
Total Berthing Space (feet): 230 | | Longitude (decimal): -81.47111
Remarks: Two 6-inch pipelines extend from wharf to 5 steel storage tanks at rear; total capacity 65,000 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 931 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 173 PWD: 249
Name: **Shelley & Sands, Marietta Wharf.**
Location: Mile 173.2, right bank, Ohio River, Marietta. Datum: NPE
Operator: Shelley & Sands, Inc.
Owner: Shelley & Sands, Inc.
Address: Mile Run Road Phone: 614/373-6495
Town: Marietta State: OH County: Washington
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of crushed limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.401111
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.4225
Remarks: Ready-mix asphalt plant and open storage area with capacity for 20,000 tons of material are located at rear. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 933 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 174 PWD: 250
Name: **American River Terminals Wharf.**
Location: Mile 173.6, right bank, Ohio River, Marietta. Datum: NPE
Operator: American River Terminals, Inc.
Owner: American Marietta Corp.
Address: Mile Run Road Phone: 614/373-8056
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 22 | | Latitude (decimal): 39.396389
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.47722
Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear; total capacity 15,000 barrels. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 921 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 175 PWD: 251
Name: **Ashland Petroleum Co., Marietta Terminal No. 1 Dock.**
Location: Mile 174.8, right bank, Ohio River, Marietta. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/374-5067
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of fuel oil, gasoline, and kerosene.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.383056
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.49083
Remarks: Three 8-inch pipelines extend from wharf to 8 steel storage tanks at rear; total capacity 106,000 barrels. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 911 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 175 PWD: 252
Name: **Asphalt Materials, South Marietta Dock.**
Location: Mile 175.0, right bank, Ohio River, Marietta. Datum: NPE
Operator: Asphalt Materials, Inc.
Owner: Asphalt Materials, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/373-3040
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of liquid asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.381389
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.49361
Remarks: One 8-inch pipeline extends from wharf to one 23,800-barrel steel storage tank at rear. One 5-inch steam pipeline serves wharf. At time of survey, plans called for consolidation of operations at company's North M No. 262).
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 909 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 175 PWD: 253
Name: **Koch Materials Co., Marietta Terminal Dock.**
Location: Mile 175.1, right bank, Ohio River, Marietta. Datum: NPE
Operator: Koch Materials Co. and Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/373-6686
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of asphalt and miscellaneous petroleum products.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.380556
Total Berthing Space (feet): 110 | | Longitude (decimal): -81.49472
Remarks: Koch Materials Co.: One 8-inch pipeline extends from wharf to 14 steel asphalt storage tanks at terminal in rear; total capacity 107,200 barrels. □ Ashland Petroleum Co.: Two 8-inch pipelines extend from wharf to petroleum products storage tanks at terminal in rear; total capacity 72,400 barrels. □ One 5-inch steam pipeline serves wharf.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Dock Code: 905 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 176 PWD: 254
Name: **Ashland Petroleum Co., Marietta Crude Oil Dock.**
Location: Mile 175.5, right bank, Ohio River, Marietta. Datum: NPE
Operator: Not operated.
Owner: Ashland Oil, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/374-5067
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.375556
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.50056
Remarks: Wharf formerly was used for receipt of petroleum products. Two 8-inch pipelines extend from wharf to 6 steel storage tanks at rear; total capacity 65,500 barrels. At time of survey terminal was being offered for sale.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Dock Code: 901 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 176 PWD: 256
Name: **Marietta Industrial Enterprises, Marietta River Terminal Dock.**
Location: Mile 175.9, right bank, Ohio River, Marietta. Datum: NPE
Operator: Marietta Industrial Enterprises, Inc.
Owner: Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, coke, quartzite, limestone, salt and various ores; receipt and shipment of steel products and lumber.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.372222
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.50667
Remarks: Unloading rate for dry bulk materials is approximately 400 tons per hour.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 887 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 176 PWD: 255
Name: **Par-Mar Oil Co. Dock.**
Location: Mile 175.6, right bank, Ohio River, Marietta. Datum: NPE
Operator: Not operated.
Owner: Par-Mar Oil Co.
Address: Riverview Road (State Hwy 7) Phone: 614/373-7406
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.375
Total Berthing Space (feet): 160 | | Longitude (decimal): -81.50222
Remarks: Wharf was formerly was used for receipt of petroleum products; all pipelines have been removed.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 891 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 177 PWD: 257
Name: **Chevron Chemical Co., Marietta Plant Dock.**
Location: Mile 176.5, right bank, Ohio River, Marietta. Datum: NPE
Operator: Chevron Chemical Co.
Owner: Chevron Chemical Co.
Address: Riverview Road (State Hwy 7) Phone: 614/374-0205
Town: Marietta State: OH County: Washington
Railway Connection: Trackage serving plant approximately 1,500 feet in rear is served by CSX Rail Transport.
Purpose: Receipt of styrene monomer.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.367222
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.51417
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at plant in rear, total capacity 4,297,000 gallons
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42807 Dock Code: 801 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 177 PWD: 258
Name: **Elkem Metals Co. Wharf.**
Location: Mile 176.7, right bank, Ohio River, Marietta. Datum: NPE
Operator: Marietta Industrial Enterprises, Inc.
Owner: Elkem Metals Co.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.348333
Total Berthing Space (feet): 1700 | | Longitude (decimal): -81.5175
Remarks: -
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42804 Dock Code: 501 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 177 PWD: 259
Name: **Mid-Ohio Valley Lime, Wharf.**
Location: Mile 177.1, right bank, Ohio River, Marietta. Datum: NPE
Operator: Mid-Ohio Valley Lime, Inc.
Owner: Elkem Metals Co.
Address: Riverview Road (State Hwy 7) Phone: 614/373-1006
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of bulk lime.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.362778
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.52389
Remarks: Three concrete silos at rear have total capacity for 2,700 tons of lime.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42803 Dock Code: 227 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 179 PWD: 262
Name: **Asphalt Materials North Marietta Wharf.**
Location: Mile 179.3, right bank, Ohio River, Marietta. Datum: NPE
Operator: Asphalt Materials, Inc.
Owner: Asphalt Materials, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-3040
Town: Marietta State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.343056
Total Berthing Space (feet): 165 | | Longitude (decimal): -81.55611
Remarks: Three 8-inch pipelines extend from wharf to 29 steel storage tanks at plant in rear, total capacity 98,700 barrels.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42801 Dock Code: 701 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 179 PWD: 261
Name: **Dock Side River Terminal, Lower Dock.**
Location: Mile 179.0, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, manganese and chrome ores and salt, receipt of steel pipe, lumber; shipment of ferromanganese and ferro-chromium.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.346389
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55306
Remarks: Approximately 2 acres paved open storage area with capacity for 50,000 tons of salt, and 8 acres unpaved open storage area for other commodities are located at rear. Ten buildings with a total area of approximately 1,000 feet north are used as storage warehouses.
Year of Last Survey: 1992 Corps of Eng'rs Waterway Code: 42802 Dock Code: 302 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 179 PWD: 260
Name: **Dock Side River Terminal, Upper Dock.**
Location: Mile 178.8, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, ores, and salt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.348333
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55111
Remarks: Use of warehouses and open storage areas described under Ref. No. 261.□□
Year of Last Survey: 1992 Corps of Eng'rs Waterway Code: 42802 Dock Code: 302 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 182 PWD: 263
Name: **DeGussa Corp., Belpre Plant Wharf.**
Location: Mile 182.1, right bank, Ohio River, Belpre. Datum: NPE
Operator: DeGussa Corp.
Owner: DeGussa Corp.
Address: State Hwy 7. Phone: 614/423-9571
Town: Belpre State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of carbon black feedstocks.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.301944
Total Berthing Space (feet): 185 | | Longitude (decimal): -81.56528
Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,150,000 gallons. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42799 Dock Code: 001 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 189 PWD: 266
Name: **Price Inland Terminal, Center Dock.**
Location: Mile 189.1, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 375 | | Longitude (decimal): -81.64778
Remarks: Open storage area at rear is described under Ref. No. 265. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42791 Dock Code: 901 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 189 PWD: 267
Name: **Price Inland Terminal, Lower Dock.**
Location: Mile 189.2, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.64944
Remarks: Approximately 15 acres of open storage area for miscellaneous bulk materials, 2 concrete silos with total capacity for 3,000 tons of lime and one 1,500-ton- capacity silo for ottawa sand are located at rear.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Dock Code: 301 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 189 PWD: 265
Name: **Price Inland Terminal, Upper Dock.**
Location: Mile 188.9, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277222
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.64472
Remarks: Open storage area at rear equipped with a radial stacker has capacity for 3,000 tons of coal. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Dock Code: 301 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 189 PWD: 264
Name: **Shell Chemical Co., Belpre Plant Wharf.**
Location: Mile 188.6, right bank, Ohio River, Belpre. Datum: NPE
Operator: Shell Chemical Co., a division of Shell Oil Co.
Owner: Shell Chemical Co., a division of Shell Oil Co.
Address: 2982 Washington Blvd (State Hwy 618). Phone: 614/423-7571
Town: Belpre State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of styrene, feedstock oil, and butadiene.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.276667
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.63917
Remarks: Two 8- one 6- and one 4-inch vent pipelines extend from wharf to storage tanks at plant in rear.

Commodity	Tanks	Capacity		
(gallons)	Styrene	6	3,Feedstock	2
1,000,000	Butadiene	2*	2,000,000	*Spheres.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42792 Dock Code: 401 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 190 PWD: 268
Name: **Ohio Power Co., Porterfield Wharf.**
Location: Mile 189.5, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 5001 Washington Blvd (State Hwy 618). Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 890 | | Longitude (decimal): -81.65583
Remarks: Wharf and adjacent bank area has capacity for storing 8 to 12 empty barges. □ Open storage area at rear with capacity for 200,000 tons of coal was not in use at time of survey.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Dock Code: 511 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 230 PWD: 269
Name: **Richards and Son, Apple Grove Fleet Mooring.**
Location: Mile 230.0, right bank, Ohio River, Apple Grove. Datum: NPE
Operator: Richards and Son, Inc.
Owner: Richards and Son, Inc.
Address: State Hwy 338. Phone: 614/247-2311
Town: Apple Grove State: OH County: Meigs
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.899167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.85111
Remarks: Fleeting area has capacity for approximately 30 barges. □ □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42751 Dock Code: 001 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 232 PWD: 270
Name: **Dravo Basic Materials, Apple Grove Plant Wharf.**
Location: Mile 232.2, right bank, Ohio River, Apple Grove. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 50494 State Hwy 338. Phone: 614/247-2211
Town: Apple Grove State: OH County: Meigs
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.88
Total Berthing Space (feet): 540 | | Longitude (decimal): -81.87861
Remarks: Seven-acre open storage area at rear has normal capacity for 78,000 tons of sand and 85,000 tons of gravel. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42749 Dock Code: 602 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 234 PWD: 271
Name: **Richards and Son, Letart Falls Pit, Dock.**
Location: Mile 233.8, right bank, Ohio River, Letart Falls. Datum: NPE
Operator: Richards and Son, Inc.
Owner: Richards and Son, Inc.
Address: State Hwy 338. Phone: 614/247-2311
Town: Letart Falls State: OH County: Meigs
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.876389
Total Berthing Space (feet): 1225 | | Longitude (decimal): -81.90222
Remarks: Open storage area at rear has capacity for 500,000 tons of sand and gravel. An additional 1,300 acres of open storage area is available at gravel pit. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42747 Dock Code: 201 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 253 PWD: 272
Name: **Raven Hocking Coal Corp., Minersville Dock**
Location: Mile 253.1, right bank, Ohio River, Minersville. Datum: NPE
Operator: Not operated.
Owner: Raven Hocking Coal Corp.
Address: 43287 State Hwy 124. Phone: 304/773-5531
Town: Minersville State: OH County: Meigs
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.016111
Total Berthing Space (feet): 520 | | Longitude (decimal): -81.98861
Remarks: At time of survey (1991), wharf was in deteriorated condition and had not been in use for 3 years. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42727 Dock Code: 901 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 256 PWD: 273
Name: **Addington No. 4, Wharf.**
Location: Mile 256.2, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Addington, Inc.
Owner: Addington, Inc.
Address: 8751 State Highway 7. Phone: 614/992-5639
Town: Cheshire State: OH County: Meigs
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.961944
Total Berthing Space (feet): 1050 | | Longitude (decimal): -82.09639
Remarks: Open storage area at rear has capacity for 40,000 tons of coal.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42724 Dock Code: 801 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 258 PWD: 274
Name: **Ohio Power Co., General James M. Gavin Plant Oil Dock.**
Location: Mile 258.1, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.938611
Total Berthing Space (feet): 245 | | Longitude (decimal): -82.11167
Remarks: One 25- by 15-foot work float is moored at lower side of pier. One 8-inch pipeline extends from pier to 3 steel storage tanks at rear; total capacity 143,000 barrels.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42722 Dock Code: 801 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 259 PWD: 275
Name: **Ohio Power Co; General James M. Gavin, Coal Dock.**
Location: Mile 258.5, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.931944
Total Berthing Space (feet): 3570 | | Longitude (decimal): -82.11472
Remarks: Open storage area at rear has capacity for 2,700,000 tons of coal. Upper dolphins have capacity for 28 loaded barges and lower dolphins have an equal capacity for empty barges, each arranged in tiers up to 7-wide
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42722 Dock Code: 801 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 260 PWD: 276
Name: **Ohio Valley Electric Corp., Kyger Creek Power Plant Dock.**
Location: Mile 259.7, right bank, Ohio River, Addison. Datum: NPE
Operator: Ohio Valley Electric Corp.
Owner: Ohio Valley Electric Corp.
Address: State Highway 7. Phone: 614/367-7311
Town: Addison State: OH County: Gallia
Railway Connection: One surface track serves power plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.9175
Total Berthing Space (feet): 3400 | | Longitude (decimal): -82.12444
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Upper dolphins have capacity for 35 loaded barges and lower dolphins have an equal capacity for empty barges, each arranged in tiers up to 7-wide
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42721 Dock Code: 301 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 263 PWD: 277
Name: **Conrich of Ohio Wharf.**
Location: Mile 263.0, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Mon River Towing, Inc.
Owner: Conrich of Ohio, Inc.
Address: 715 Upper River Road. Phone: 614/446-7040
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Mooring barges for fleeting. (See Remarks).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.875
Total Berthing Space (feet): 910 | | Longitude (decimal): -82.14222
Remarks: Terminal in rear having open storage area for 10,000 tons of coal was not in operation at time of survey (1991).□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42718 Dock Code: 001 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 264 PWD: 278
Name: **Lamay Industries, Gallipolis Wharf.**
Location: Mile 264.1, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Not operated.
Owner: Conrich of Ohio, Inc.
Address: 567 Upper River Road. Phone: 614/446-9200
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.859722
Total Berthing Space (feet): 75 | | Longitude (decimal): -82.14028
Remarks: Terminal in rear having open storage area for 4,000 tons of coal was not in operation at time of survey (1991).□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42716 Dock Code: 201 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 265 PWD: 281
Name: **Jay Hall, Jr. Fleet Mooring.**
Location: Mile 265.0, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Jay Hall, Jr.
Owner: Jay Hall, Jr.
Address: 425 Upper River Road. Phone: 614/367-7622
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.846944
Total Berthing Space (feet): 24 | | Longitude (decimal): -82.1425
Remarks: Fleeting area extends below spar barge wharf and has capacity for 24 barges arranged in 8 tiers each 3 barges wide.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42716 Dock Code: 011 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 265 PWD: 279
Name: **Richards & Son, Plant #2 Dock.**
Location: Mile 264.5, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Richards & Son, Inc. and Middleport Terminal, Inc.
Owner: Richards & Son, Inc.
Address: 487 Upper River Road. Phone: 614/446-7785
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Richards & Son, Inc.: receipt of sand and stone.□Middleport Terminal, Inc.: receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.854444
Total Berthing Space (feet): 275 | | Longitude (decimal): -82.14139
Remarks: Richards & Son, Inc.: Open storage area in rear is served by a radial stacker and has capacity for 40,000 tons of material.□Middleport Terminal, Inc.: One 12- inch pipeline extends from wharf to 2 steel asphalt storage tanks in rear, total capacity 107,140 barrels. Two 4-inch hot oil pipelines serve wharf.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42715 Dock Code: 401 Huntington District

Port Series No. 61 **The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV**

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 265 PWD: 280
Name: **Sands Hill Coal Co. Wharf.**
Location: Mile 264.8, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Sands Hill Coal Co., Inc.
Owner: Sands Hill Coal Co., Inc.
Address: 465 Upper River Road. Phone: 614/446-8060
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.850556
Total Berthing Space (feet): 895 | | Longitude (decimal): -82.14222
Remarks: Open storage area at rear has capacity for 10,000 tons of coal.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42715 Dock Code: 501 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 266 PWD: 282
Name: **O-Kan Dock & Machine Wharf.**
Location: Mile 266.3, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: O-Kan Dock & Machine, a subsidiary of G & C Towing, Inc. and Kanawha River Towing, Inc.
Owner: G & C Towing, Inc.
Address: 267 Upper River Road. Phone: 614/446-4686
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Mooring floating equipment for maintenance and repair; mooring floating drydocks; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 25 | | Latitude (decimal): 38.830833
Total Berthing Space (feet): 150 | | Longitude (decimal): -82.155
Remarks: One 5,000-, one 1,200-, and one 750-ton floating drydocks moored at wharf. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity. Kanawha River Towing, Inc. operates Fleet with capacity for 40 barges arranged in 10 tiers, each 4 barges wide at shore moorings, along approximately 2,000 feet of bank located below wharf.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 41714 Dock Code: 801 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 268 PWD: 284
Name: **Arrow Concrete Co. Dock.**
Location: Mile 268.1, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Arrow Concrete Co.
Owner: Arrow Industries.
Address: 1725 Eastern Avenue Phone: 614/446-1594
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Receipt of sand and stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.817778
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.17972
Remarks: Open storage area at rear has capacity for approximately 7,500 tons of material. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42712 Dock Code: 301 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 268 PWD: 283
Name: **Cremeans Concrete & Supply Co. Dock.**
Location: Mile 267.8, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Cremeans Concrete & Supply Co.
Owner: Cremeans Concrete & Supply Co.
Address: 1725 Eastern Avenue Phone: 614/446-1142
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.818889
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.17611
Remarks: Approximately 5 acres of open storage area is located at rear. □ □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42713 Dock Code: 502 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 290 PWD: 285
Name: **Barrick Gold Exploration Dock.**
Location: Mile 289.5, right bank, Ohio River, Crown City. Datum: NPE
Operator: Not operated.
Owner: Barrick Gold Exploration.
Address: Phone: 614/256-6327
Town: Crown City State: OH County: Gallia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.599167
Total Berthing Space (feet): 1750 | | Longitude (decimal): -82.25583
Remarks: Facility formerly was used for shipment of coal. Open storage area at rear of State Highway 7 has capacity for approximately 15,000 tons. Wharf has capacity for mooring 12 empty barges above, and 12 loaded barges
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42691 Dock Code: 101 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 304 PWD: 286
Name: **Richards & Son, Plant No. 1 Dock.**
Location: Mile 303.9, right bank, Ohio River, Proctorville. Datum: NPE
Operator: Richards & Son, Inc.
Owner: Richards & Son, Inc.
Address: Phone: 614/886-6640
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.437778
Total Berthing Space (feet): 380 | | Longitude (decimal): -82.36861
Remarks: Open storage area with capacity for 15,000 tons of material is located at rear.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code: 481 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 306 PWD: 287
Name: **Economy Barge Repair, Proctorville Dock.**
Location: Mile 305.5, right bank, Ohio River, Proctorville. Datum: NPE
Operator: Economy Barge Repair, Inc.
Owner: Superior Marine Ways, Inc.
Address: Phone: 614/886-6662
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.437778
Total Berthing Space (feet): 525 | | Longitude (decimal): -82.39361
Remarks: One 700-ton side haul marine railway is located adjacent to upper side. Wharf is equipped with outlets for supplying oxygen, acetylene gas, and electricity.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 611 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 306 PWD: 288
Name: **Riverside Coal Co., Proctorville Dock.**
Location: Mile 305.7, Proctorville. Datum: NPE
Operator: Riverside Coal Co.
Owner: United Coal Company, Tri-State Division, Harbor Marine, Inc..
Address: Phone: 614/886-8444
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.439167
Total Berthing Space (feet): 565 | | Longitude (decimal): -82.3975
Remarks: Open storage area at rear has capacity for 20,000 tons of coal. Wharf has capacity for mooring 12 empty barges above, and 30 loaded barges below.□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 501 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 314 PWD: 289
Name: **McGinnis, Burlington Division Wharf.**
Location: Mile 314.4, right bank, Ohio River, Burlington. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Phone: 614/894-5344
Town: Burlington State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.403333
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.55167
Remarks: Wharf is equipped with outlets for supplying compressed air, oxygen, acetylene gas, and electricity. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code:

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 315 PWD: 290
Name: **Economy Barge Repair, Burlington Dock.**
Location: Mile 314.9, right bank, Ohio River, Burlington. Datum: NPE
Operator: Economy Barge Repair, Inc.
Owner: Economy Barge Repair, Inc.
Address: Phone: 614/894-5859
Town: Burlington State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.404167
Total Berthing Space (feet): 350 | | Longitude (decimal): -82.55722
Remarks: One 2,500-ton capacity floating drydock is moored to lower work barge. Wharf is equipped with outlets for supplying oxygen, acetylene gas, and electricity. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code:

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 315 PWD: 291
Name: **South Point Barge Co. Dock.**
Location: Mile 315.3, right bank, Ohio River, North Kenova. Datum: NPE
Operator: South Point Barge Co., Inc.
Owner: South Point Barge Co., Inc.
Address: Phone: 614/894-5911
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair; mooring floating drydocks.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.406667
Total Berthing Space (feet): 3000 | | Longitude (decimal): -82.57028
Remarks: One 650- and one 500-ton capacity floating drydocks are moored to grounded barges. Wharf is equipped with outlets for supplying compressed air, oxygen, propane, and electricity.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 940 Huntington District

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 316 PWD: 292
Name: **American Commercial Terminals, North Kenova Fleet Mooring.**
Location: Mile 316.2, right bank, Ohio River, South Point. Datum: NPE
Operator: Coal Terminals, Inc.
Owner: American Commercial Barge Line Co.
Address: Phone: 304/453-3271
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.410556
Total Berthing Space (feet): 1800 | | Longitude (decimal): -82.58
Remarks: Fleetling area has capacity for mooring approximately 60 barges, consisting of 15 tiers, each 4 barges wide. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 42673 Dock Code: 820 Huntington District

Port Series No. 61
The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Port: **Ohio River 40 - 317**
Waterway: **Ohio River** Mile: 317 PWD: 293
Name: **Ashland Oil Co., North Kenova Fleet Mooring.**
Location: Mile 316.6, right bank, Ohio River, North Kenova. Datum: NPE
Operator: Ashland Oil Co.
Owner: Ashland Oil Co.
Address: Phone: 304/453-3331
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.414167
Total Berthing Space (feet): 1425 | | Longitude (decimal): -82.58611
Remarks: Fleeting area has capacity for mooring approximately 30 barges.□□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Dock Code:
